**RIVER MURRAY FLOW REPORT** 

Public I2 A2

#### Report #04/2018 Issued 10:00 am 25 January 2018

This supersedes the previous flow report issued by the Department of Environment, Water and Natural Resources (DEWNR) on 19 January 2018. The next report will be provided on Friday 2 February 2018.

In this report, for ease of representation, large volumes of water are expressed in gigalitres (GL), while smaller volumes are expressed in megalitres (ML). One GL is equal to 1 000 ML.

## FLOW OUTLOOK

The flow at the South Australian border is approximately 6.3 GL/day and will increase to around 6.5 GL/day during the coming week. It comprises:

- normal January Entitlement Flow of 7 GL/day;
- less deferred water;
- plus environmental water; and
- interstate trade adjustments.

The flow over Lock 1 is approximately 1.5 GL/day and will remain around this rate during the coming week, depending on weather conditions and extractions. Prolonged extreme hot temperatures have resulted in high evaporation losses and increased pumping, which has reduced the flow rate at Lock 1.

It is important to note that flow forecasts in this advice are based on the information available at the time of preparation. Advice may change as new gauging information becomes available, or due to rainfall events or changed operations upstream. The forecasts will be revised as new information becomes available.

## **ENVIRONMENTAL WATER**

During January approximately 45 GL of environmental water is expected to be delivered to South Australia, including return flows from Hattah Lakes Ramsar site, Campaspe River and Lower Broken River in Victoria. This volume may vary depending on rainfall and weather conditions.

Environmental water is being provided to achieve a range of environmental and water quality benefits to the River Murray channel, Lower Lakes and Coorong, including benefits for native vegetation and native fish such as greenback flounder and black bream.

DEWNR is continuing discussions regarding environmental water to be delivered during 2018.

#### **MURRAY MOUTH**

Dredging operations at the Murray Mouth commenced on 9 January 2015 to maintain connectivity (exchange of water) between the Coorong and the Southern Ocean.

Two dredges are operating in the Goolwa and Tauwitchere channels. At 21 January 2018, a total of approximately 2 570 388 cubic metres of sand had been removed by dredging operations.

There are a number of shallow zones in and adjacent to the Murray Mouth. Mariners should follow all directions in the area and reduce speed. Boats equipped with echo sounders should check depths regularly and avoid travelling at low tide. Mariners are reminded that navigation through the Murray Mouth is only permitted during daylight hours and that Exclusion Zones established around the dredging operations are in place to ensure public safety. Refer to Notice to Mariners No 42 of 2016 www.dpti.sa.gov.au/news?a=287322

There is a partial park closure in place for the northern tip of the Coorong National Park. For more information visit <u>www.environment.sa.gov.au/parks/Safety/Park\_closures/141219-coorong-national-park.</u>



1 | P a g e

# **River Murray Flow Report**

## BARRAGE OPERATIONS AND WATER LEVELS IN THE LOWER LAKES

The water level in Lake Alexandrina is approximately 0.71 m AHD and Lake Albert is approximately 0.65 m AHD. The difference in water levels is due to wind effects. When possible, water levels are being managed to achieve a target water level of between 0.7 m AHD and 0.8 m AHD during January 2018. Prolonged extreme hot temperatures have resulted in high evaporation losses and increased pumping, which has reduced the average Lower Lakes water level.

During the week ending 23 January 2018 total barrage releases were approximately 7 GL. During adverse weather conditions SA Water will operate the barrages to minimise the risk of seawater entering Lake Alexandrina, therefore minimising any negative salinity impacts from reverse flow events.

All fishways are operational and providing fish passage between Lake Alexandrina and the Coorong.

Water levels and barrage operations are monitored closely by the South Australian Government, the Murray-Darling Basin Authority and the Commonwealth Environmental Water Office.

#### WEIR POOL OPERATIONS

The Lock 1 weir pool is approximately 0.1 m below the normal pool level of 3.2 m AHD to enable engineering works to be undertaken at the weir.

#### NAVIGATION ISSUES

Sandbars in the vicinity of the Murray Mouth may cause navigation hazards. Mariners are advised to navigate with caution when operating in the area. Sandbars are also present along sections of the River Murray downstream of Locks 7 and 8 and in South Australia. All Mariners should be aware of the risk of submerged navigation hazards, and should regularly check river depth.



## **RIVER MURRAY WATER LEVELS**

Below is a table of River Murray water levels at a number of locations from Lock 10 (near Wentworth) to Murray Bridge.

| ·                  |             |                                    |   |                                   |                                   |  |  |
|--------------------|-------------|------------------------------------|---|-----------------------------------|-----------------------------------|--|--|
| Location           | River<br>km | Normal<br>Pool<br>Level<br>(m AHD) | Current<br>Level<br>24/01/2018<br>(m AHD) | 1974<br>Flood<br>Level<br>(m AHD) | 1993<br>Flood<br>Level<br>(m AHD) | 2016<br>High Water<br>Level<br>(m AHD) |  |
| Lock 10            | 825.0       | 30.80                              | 30.86                                     | 33.81                             | 33.32                             | 32.72                                  |  |
| Lock 9 Kulnine     | 764.8       | 27.40                              | 27.44                                     | 30.03                             | 29.44                             | 28.85                                  |  |
| Lock 8 Wangumma    | 725.7       | 24.60                              | 24.60                                     | 27.60                             | 27.19                             | 26.85                                  |  |
| Lock 7 Rufus River | 696.6       | 22.10                              | 22.14                                     | 25.70                             | 25.24                             | 24.97                                  |  |
| Lock 6 Murtho      | 619.8       | 19.25                              | 19.25                                     | 21.03                             | 20.50                             | 20.19                                  |  |
| Renmark            | 567.4       | -                                  | 16.31                                     | 18.54                             | 18.04                             | 17.44                                  |  |
| Lock 5             | 562.4       | 16.30                              | 16.31                                     | 18.07                             | 17.50                             | 17.05                                  |  |
| Lyrup              | 537.8       | -                                  | 13.28                                     | 16.85                             | 16.26                             | 15.80                                  |  |
| Berri              | 525.9       | -                                  | 13.25                                     | 15.81                             | 15.74                             | 15.21                                  |  |
| Lock 4             | 516.2       | 13.20                              | 13.25                                     | 15.65                             | 15.08                             | 14.73                                  |  |
| Loxton             | 489.9       | -                                  | 10.00                                     | 15.05                             | 14.12                             | 13.54                                  |  |
| Cobdogla           | 446.9       | -                                  | 9.84                                      | 13.44                             | 12.38                             | 11.59                                  |  |
| Lock 3             | 431.4       | 9.80                               | 9.81                                      | 13.16                             | 12.02                             | 10.98                                  |  |
| Overland Corner    | 425.9       | -                                  | 6.21                                      | 12.73                             | 11.58                             | 10.41                                  |  |
| Waikerie           | 383.6       | -                                  | 6.27                                      | 11.26                             | 10.24                             | 9.20                                   |  |
| Lock 2             | 362.1       | 6.10                               | 6.13                                      | 10.28                             | 9.30                              | 8.32                                   |  |
| Cadell             | 332.6       | _                                  | 3.21                                      | 9.17                              | 8.08                              | 7.01                                   |  |
| Morgan             | 321.7       | -                                  | 3.13                                      | 8.85                              | 7.65                              | 6.38                                   |  |
| Lock 1 Blanchetown | 274.2       | 3.20                               | 3.12                                      | 6.81                              | 5.38                              | 4.46                                   |  |
| Swan Reach         | 245.0       | 0.75                               | 0.77                                      | 6.06                              | 4.51                              | 3.11                                   |  |
| Mannum PS          | 149.8       | 0.75                               | 0.76                                      | 3.15                              | 1.90                              | 1.33                                   |  |
| Murray Bridge      | 115.3       | 0.75                               | 0.70                                      | 2.06                              | 1.26                              | 1.04                                   |  |

**River Murray Water Levels** 

Note that the above water levels may be affected by local wind conditions.

3



# **River Murray Flow Report**

### FURTHER INFORMATION

The WaterConnect website is South Australia's comprehensive water information portal and can be accessed at <a href="https://www.waterconnect.sa.gov.au/Pages/Home.aspx">https://www.waterconnect.sa.gov.au/Pages/Home.aspx</a>

Up-to-date River Murray salinity, flow and water level information can be accessed at the Department of Environment, Water and Natural Resources, SA Water and Murray-Darling Basin Authority websites

- <u>www.environment.sa.gov.au/managing-natural-resources/river-murray/water-allocation-and-trade/water-allocations-and-announcements</u>
- www.waterconnect.sa.gov.au/Systems/RTWD/Pages/Default.aspx
- <u>www.sawater.com.au/SAWater/Environment/WaterProofingAdelaide/TheRiverMurray/RMOU/Dailyflow.</u>
  <u>htm</u>
- <u>http://livedata.mdba.gov.au/</u>

The latest news, information and announcements about the River Murray and Basin Plan are available at <u>River Murray Update</u>.

The Department of Environment, Water and Natural Resources has published a series of inundation maps for the River Murray. They are available at <a href="http://www.waterconnect.sa.gov.au/Systems/RMIM/SitePages/Home.aspx">www.waterconnect.sa.gov.au/Systems/RMIM/SitePages/Home.aspx</a>

Information on the management of acid drainage water in the Lower River Murray can be accessed at <u>www.epa.sa.gov.au/environmental\_info/water\_quality/programs/acid\_sulfate\_soils/lower\_river\_murray\_reclaime\_d\_irrigation\_area\_Imria</u>

Details of river height and rainfall information in the River Murray within Victoria and New South Wales are available at the Bureau of Meteorology website <a href="http://www.bom.gov.au/vic/flood">www.bom.gov.au/vic/flood</a>

Information provided by the Commonwealth Environmental Water Office can be accessed at <a href="http://www.environment.gov.au/ewater/southern/murray/lower-murray.html">www.environment.gov.au/ewater/southern/murray/lower-murray.html</a>

Information on The Living Murray can be accessed at <a href="http://www.mdba.gov.au/managing-water/environmental-water/delivering-environmental-water/living-murray-program">www.mdba.gov.au/managing-water/environmental-water/delivering-environmental-water/living-murray-program</a>

Chowilla Floodplain Icon Site management www.environment.sa.gov.au/Chowilla-floodplain

Department of Environment, Water and Natural Resources www.environment.sa.gov.au

Information provided by the Department of Planning, Transport and Infrastructure on boat licences, registering motor boats, owning and operating water craft, and boat and marine safety can be accessed at <a href="http://www.sa.gov.au/boatingmarine">www.sa.gov.au/boatingmarine</a>

| ID                        | RM-Flow-Report 20180125                                       |  |  |
|---------------------------|---|--|--|
| Classification            | Public I2 A2  |  |  |
| Issued                    | 25 January 2018   |  |  |
| Authority                 | DEWNR   |  |  |
| Master Document Location  | R:\Water Group\RMO\WRO\04 Communications\Flow Advices\2017-18 |  |  |
| Managed and Maintained by | River Murray Operations                                       |  |  |
| Author                    | River Murray Operations                                       |  |  |
| Reviewer                  | Director, River Murray Operations, Water Group                |  |  |



