

# RIVER MURRAY FLOW REPORT and WATER RESOURCES UPDATE

Public I2 A2

Report #41/2013

Issued 10:00 am 18 October 2013

This supersedes the previous flow report issued by the Department of Environment, Water and Natural Resources (DEWNR) on 11 October 2013. The next flow report will be provided on Friday, 25 October 2013.

In this report, for ease of representation, large volumes of water are expressed in gigalitres (GL), while smaller volumes are expressed in megalitres (ML). One GL is equal to 1 000 ML.

## WATER RESOURCES UPDATE

During September 2013, the total River Murray System inflow was approximately 1 000 GL, which is below the September long-term average of 1 600 GL. Inflow to Menindee Lakes (from the Darling System) during September 2013 was approximately 30 GL, which is below the September long-term average of 200 GL.

The flow to South Australia during September 2013 was approximately 585 GL (compared to 1 383 GL in September 2012), which comprised 135 GL of Entitlement Flow and approximately 450 GL of unregulated flow.

The flow to South Australia is currently around 18 000 ML/day, which comprises the October Entitlement Flow of 5 500 ML/day plus unregulated flow. The unregulated flow is a result of inflows from tributaries that flow into the River Murray system. The major Murray-Darling Basin Authority controlled storages are holding around 91 per cent capacity.

## STORAGE VOLUMES

Murray-Darling Basin Authority storage volumes at 16 October 2013 and 16 October 2012

Storage	Full Supply Volume (GL)	16/10/2013 (GL)	16/10/2012 (GL)	Long-term average (end of October)
Dartmouth	3 856	3 819 (99%)	3 791 (98%)	
Hume	3 003	2 849 (95%)	2 984 (99%)	
Lake Victoria	677	624 (92%)	657 (97%)	
Menindee Lakes	1 731*	1 115 (64%)	1 987 (115%)	
<b>TOTAL</b>	<b>9 267</b>	<b>8 407 (91%)</b>	<b>9 419 (102%)</b>	<b>7 498 (81%)</b>

\*Menindee Lakes can be surcharged to 2 015 GL

## RAINFALL AND TEMPERATURE OUTLOOK

The latest Bureau of Meteorology weather outlook for October to December 2013 indicates that south-eastern Australia is likely to receive an equal chance of a wetter or drier than normal season, with warmer temperatures.

The climate is being influenced by a neutral Indian Ocean Dipole, neutral tropical Pacific, and locally warm sea surface temperatures

## WATER ALLOCATION OUTLOOK

South Australia will receive its full Entitlement Flow of 1 850 GL in 2013-14. As a result, South Australian River Murray Water Access Entitlement Holders will have access to 100 per cent water allocation in 2013-14. A total



# River Murray Flow Report and Water Resources Update

volume of 835 GL has been progressively reserved under the Murray-Darling Basin Agreement clause 103 (minimum reserve) to assist with supplying South Australia's Entitlement Flow in 2014-15.

## SOUTH AUSTRALIA'S STORAGE RIGHT


The Department of Environment, Water and Natural Resources continues to pursue opportunities to defer and store an amount of Entitlement Flow during 2013-14 for use in future years. To date, South Australia's ability to defer and store water has been limited by unregulated flows and the high risk of spill from upstream storages. If South Australia had deferred and stored water in Hume Reservoir it would have spilled and been lost. The situation is being reviewed on a monthly basis.

## WATER QUALITY

A number of targets are identified under the Basin Plan, which all Basin States must have regard to in managing River Murray flows. The targets for real-time salinity are identified below. Salinity must not exceed these values for 95 per cent of the time:

- 580 EC at Lock 6
- 800 EC at Morgan
- 830 EC at Murray Bridge
- 1 000 EC at Milang

The following graph shows the salinity at these locations and the flow to South Australia (QSA) from July 2012 to October 2013. It confirms that salinity has not exceeded the target at any of these four locations during this period.



Note: Data gaps are due to technical monitoring issues experienced at the site



## FLOW OUTLOOK

The flow at the South Australian border is approximately 18 000 ML/day and will reduce to around 16 000 ML/day during the coming week, depending on upstream river and storage operations, extractions, and rainfall events. The flow comprises the October Entitlement Flow of 5 500 ML/day plus unregulated flow. At this point, South Australia is likely to receive unregulated flow until late October 2013. South Australia is also likely to receive environmental water as the unregulated flow reduces, which will manage the rate of recession and maintain a flow higher than normal Entitlement Flow.

The flow over Lock 1 is approximately 21 000 ML/day and will reduce to around 17 000 ML/day during the coming week, depending on weather conditions and extractions.

It is important to note that flow forecasts in this advice are based on the information available at the time of preparation. They may change as new gauging information becomes available, or due to rainfall events or changed operations upstream. Flow forecasts are dependent on predictions made by the Bureau of Meteorology, Murray-Darling Basin Authority and water management agencies in upstream jurisdictions. They will be revised as new information becomes available.

## BARRAGE OPERATIONS AND WATER LEVELS IN THE LOWER LAKES

The water level in Lake Alexandrina is approximately 0.74 m AHD and approximately 0.84 m AHD in Lake Albert. During the coming week, barrage operations will target a water level between 0.70 m AHD and 0.75 m AHD in both Lakes. Barrage releases are being prioritised through the Goolwa and Tauwichee barrages to maintain an open and functioning Murray Mouth and to promote native fish migration. All barrage fishways are in operation and are being supplemented with attractant flows in adjacent bays. SA Water will continue to operate the barrages to minimise any negative salinity impacts from reverse flow events during these conditions.

To see live salinity data at various locations on the River Murray and in the Lower Lakes, please refer to the following website: <http://www.waterconnect.sa.gov.au/Systems/RTWD/SitePages/Home.aspx>

Water levels and barrage operations are monitored closely by various agencies of the South Australian Government, Murray-Darling Basin Authority and Commonwealth Environmental Water Office.

## NAVIGATION ISSUES

Sandbars in the vicinity of the Murray Mouth may cause navigation hazards. Mariners are advised to navigate with caution when operating in the area. Sandbars are also present along sections of the River Murray in South Australia and all watercraft users should be aware of, and regularly check, the river depth.

## CONSTRUCTION WORKS

### *Currency Creek*

Subject to confirmation by the Commonwealth Government under the *Environment Protection and Biodiversity Conservation Act 1999* (Cwlth), water-based works to remove the Currency Creek Regulator are completed. The boating exclusion zone has been removed. The site has a few items of plant and equipment remaining, and a stockpile of rock material that was removed from the regulator. These will be removed when weather conditions improve to enable access.

### *Chowilla*

Construction of the Chowilla Creek Environmental Regulator and associated structures is ongoing. For public safety reasons the Chowilla Creek remains closed to navigation at the construction site. Works are also underway to upgrade the weirs on Pipeclay Creek and Slaney Creek to improve the management of flows into the Chowilla anabranch and to enable fish passage. Public access around the weirs is restricted during this construction program.

## RIVER MURRAY WATER LEVELS

Below is a table of River Murray water levels at a number of locations from Lock 10 (near Wentworth) to Murray Bridge.

**River Murray Water Levels on 16 October 2013**

Location	River km	Normal Pool Level	Current Level (m AHD)	1974 Flood Level (m AHD)	1993 Flood Level (m AHD)
Lock 10	825.0	30.80	30.79	33.81	33.32
Lock 9 Kulnine	764.8	27.40	27.59	30.03	29.44
Lock 8 Wangumma	725.7	24.60	25.06	27.60	27.19
Lock 7 Rufus River	696.6	22.10	22.23	25.70	25.24
Lock 6 Murtho	619.8	19.25	19.31	21.03	20.50
Renmark	567.4	-	16.39	18.54	18.04
Lock 5	562.4	16.30	16.34	18.07	17.50
Lyrup	537.8	-	13.38	16.85	16.26
Berri	525.9	-	13.27	15.81	15.74
Lock 4	516.2	13.20	13.18	15.65	15.08
Loxton	489.9	-	10.85	15.05	14.12
Cobdogla	446.9	-	9.95	13.44	12.38
Lock 3	431.4	9.80	9.76	13.16	12.02
Overland Corner	425.9	-	7.07	12.73	11.58
Waikerie	383.6	-	6.47	11.26	10.24
Lock 2	362.1	6.10	6.11	10.28	9.30
Cadell	332.6	-	3.88	9.17	8.08
Morgan	321.7	-	3.64	8.85	7.65
Lock 1 Blanchetown	274.2	3.20	3.23	6.81	5.38
Swan Reach	245.0	0.75	1.03	6.06	4.51
Mannum PS	149.8	0.75	0.77	3.15	1.90
Murray Bridge	115.3	0.75	0.88	2.06	1.26

Note that the above water levels may be affected by local wind conditions.

# River Murray Flow Report and Water Resources Update

## FURTHER INFORMATION

The WaterConnect website is South Australia's comprehensive water information portal and can be accessed at: <http://www.waterconnect.sa.gov.au>

Up-to-date River Murray flow and water level information can be accessed at the Department of Environment, Water and Natural Resources, SA Water and Murray-Darling Basin Authority websites:

<http://www.waterconnect.sa.gov.au/Systems/RTWD/SitePages/Home.aspx>  
[www.sawater.com.au/SAWater/Environment/TheRiverMurray/River+Murray+Levels.htm](http://www.sawater.com.au/SAWater/Environment/TheRiverMurray/River+Murray+Levels.htm)  
[www.mdba.gov.au/water/live-river-data](http://www.mdba.gov.au/water/live-river-data)

The Department of Environment, Water and Natural Resources has published a series of inundation maps for the River Murray. They are available at: <http://www.waterconnect.sa.gov.au/Systems/RMIM/Pages/default.aspx>

Information on the management of acid drainage water in the Lower River Murray can be accessed online at: [http://www.epa.sa.gov.au/environmental\\_info/water\\_quality/acid\\_sulfate\\_soils\\_ass/lower\\_river\\_murray\\_reclaimed\\_irrigation\\_area\\_lmria](http://www.epa.sa.gov.au/environmental_info/water_quality/acid_sulfate_soils_ass/lower_river_murray_reclaimed_irrigation_area_lmria)

Details of river height and rainfall information in the River Murray within Victoria and New South Wales are available at the Bureau of Meteorology website: <http://www.bom.gov.au/vic/flood>

Information provided by the Commonwealth Environmental Water Office can be accessed at: [www.environment.gov.au/ewater/southern/murray/lower-murray.html](http://www.environment.gov.au/ewater/southern/murray/lower-murray.html)

Information on The Living Murray can be accessed at: <http://www.mdba.gov.au/about-basin/environmental-sites>

Information is also available from the SA Water Hotline on **08 8595 2299**

Department of Environment, Water and Natural Resources  
<http://www.environment.sa.gov.au/Home>

ID	RM-Flow-Report 20131018
Classification	Public I2 A2
Issued	18 October 2013
Authority	DEWNR
Master Document Location	Q:\OMP\RM REM\02 RM Ops\04 Communications\Flow Advices\2013-14
Managed and Maintained by	River Murray Operations
Author	River Murray Operations
Reviewer	Director River Murray Operations

