

# RIVER MURRAY FLOW REPORT

Public I2 A2

Report #34/2014

Issued 10:00 am 22 August 2014

**This supersedes the previous flow report issued by the Department of Environment, Water and Natural Resources (DEWNR) on 15 August 2014. The next flow report will be provided on Friday, 29 August 2014.**

In this report, for ease of representation, large volumes of water are expressed in gigalitres (GL), while smaller volumes are expressed in megalitres (ML). One GL is equal to 1 000 ML.

## FLOW OUTLOOK

The flow at the South Australian border is approximately 12 GL/day and will decrease to around 6 GL/day during the coming week, depending on upstream river and storage operations, extractions, and rainfall events. The flow comprises the normal August Entitlement Flow of 4 GL/day plus unregulated flow. The flow to South Australia is expected to recede rapidly back to Entitlement Flow within the next two weeks. Water users are reminded to regularly check water levels and infrastructure, particularly in the areas immediately downstream of the locks.

The flow over Lock 1 is approximately 13 GL/day and will decrease to around 7 GL/day during the coming week, depending on weather conditions and extractions.

It is important to note that flow forecasts in this advice are based on the information available at the time of preparation. They may change as new gauging information becomes available, or due to rainfall events or changed operations upstream. Flow forecasts are dependent on predictions made by the Bureau of Meteorology, Murray-Darling Basin Authority and water management agencies in upstream jurisdictions. They will be revised as new information becomes available.

## MANAGEMENT OF SOUTH AUSTRALIA'S DEFERRED WATER

The Murray-Darling Basin Authority advised that on 1 August 2014, South Australia had 42.9 GL of water deferred and stored in Dartmouth (29.6 GL for critical human water needs and 13.3 GL for private carryover use in future dry years). The 6.6 GL that was deferred and stored in Lake Victoria for private carry purposes has spilled due to Lake Victoria filling. Volumes stored are adjusted for net evaporation losses until delivered to South Australia. South Australia cannot defer any water while receiving unregulated flow and is therefore not proposing to defer any Entitlement Flow during August 2014.

DEWNR is investigating opportunities to defer additional Entitlement Flow during 2014-15.

## WEIR POOL OPERATIONS

DEWNR has raised and is maintaining the Lock 1 and 2 weir pools within their normal operating range (up to 0.3 m above full supply level) due to the availability of unregulated flow. DEWNR is currently considering raising these weir pools to slightly above their normal operating range to mimic historic natural water level variability, which has been largely lost through river regulation. It is anticipated that the weir pools may be raised up to 0.5 m above full supply level, or 0.2 m above the maximum normal operating range. The objective is to promote a range of benefits, specifically restoration of ecological function. Further advice in relation to this potential action will be provided in a separate media release and a set of frequently asked questions documents.

## BARRAGE OPERATIONS AND WATER LEVELS IN THE LOWER LAKES

The water level in Lake Alexandrina is approximately 0.76 m AHD and approximately 0.75 m AHD in Lake Albert. The levels are being lowered to a target of 0.70 m AHD and then raised to 0.75 m AHD. The aim of the short-term water level cycling (raising, lowering, raising) is to assist with improving water quality in Lake Albert.



## River Murray Flow Report

SA Water will continue to operate the barrages to minimise any negative salinity impacts from reverse flow events. When conditions are conducive to opening the barrages, releases will be prioritised through Tauwitschere and Goolwa. All fishways are in operation.

To see live salinity data at various locations on the River Murray and in the Lower Lakes, please refer to the following website: <http://www.waterconnect.sa.gov.au/Systems/RTWD/SitePages/Home.aspx>

Water levels and barrage operations are monitored closely by various agencies of the South Australian Government, Murray-Darling Basin Authority and Commonwealth Environmental Water Office.

### **WATER QUALITY – Blue-Green Algae**

The New South Wales Government (through Regional Algal Coordinating Committees) has a red alert warning for toxic blue-green algae at Balranald on the Murrumbidgee River, where water is unsuitable for recreational and stock watering purposes.

Although toxic blue-green algal blooms pose no threat to South Australia at this stage, the Murray-Darling Basin Authority and the relevant South Australian Government agencies are regularly monitoring the situation.

### **NAVIGATION ISSUES**

Sandbars in the vicinity of the Murray Mouth may cause navigation hazards. Mariners are advised to navigate with caution when operating in the area. Sandbars are also present along sections of the River Murray, downstream of Lock 7 and 8 and in South Australia. All watercraft users should be aware of the risk of submerged navigation hazards, and should regularly check the river depth.

### **CONSTRUCTION WORKS**

#### *Yatco Lagoon*

Work to relocate pump offtakes from Yatco Lagoon is underway. The installation of new pump offtakes on the River Murray will commence in the coming months. The construction work is expected to be completed by early 2015.

#### *Deep Creek (Pike Floodplain)*

Work to replace the Deep Creek regulating structure, construct a vertical slot fishway and install a coffer dam to block-off Deep Creek from the River Murray is underway. Deep Creek flow will be maintained throughout the construction period via a temporary diversion pipe. Construction is expected to be completed by mid-December 2014. Traffic conditions on the Lock 5 Road will be changed during this period.

#### *Chowilla*

Construction of the Chowilla Creek Environmental Regulator and associated structures has been completed. Navigation past the Chowilla Regulator has re-opened.

#### *Lake Victoria Outlet Regulator*

Remedial works on the Lake Victoria Outlet Regulator are underway and expected to be completed in early September 2014. The works are necessary to improve the structural integrity of the regulator.

Camping is not allowed in the area immediately downstream of the regulator during the construction period. There are alternate camping sites nearby, along Rufus River.

## RIVER MURRAY WATER LEVELS

Below is a table of River Murray water levels at a number of locations from Lock 10 (near Wentworth) to Murray Bridge.

### River Murray Water Levels on 20 August 2014

Location	River km	Normal Pool Level	Current Level (m AHD)	1974 Flood Level (m AHD)	1993 Flood Level (m AHD)
Lock 10	825.0	30.80	30.78	33.81	33.32
Lock 9 Kulnine	764.8	27.40	27.54	30.03	29.44
Lock 8 Wangumma	725.7	24.60	25.00	27.60	27.19
Lock 7 Rufus River	696.6	22.10	22.09	25.70	25.24
Lock 6 Murtho	619.8	19.25	19.24	21.03	20.50
Renmark	567.4	-	-	18.54	18.04
Lock 5	562.4	16.30	16.33	18.07	17.50
Lyrup	537.8	-	13.33	16.85	16.26
Berri	525.9	-	13.23	15.81	15.74
Lock 4	516.2	13.20	13.21	15.65	15.08
Loxton	489.9	-	10.45	15.05	14.12
Cobdogla	446.9	-	-	13.44	12.38
Lock 3	431.4	9.80	9.81	13.16	12.02
Overland Corner	425.9	-	6.86	12.73	11.58
Waikerie	383.6	-	6.61	11.26	10.24
Lock 2	362.1	6.10	6.40	10.28	9.30
Cadell	332.6	-	-	9.17	8.08
Morgan	321.7	-	3.75	8.85	7.65
Lock 1 Blanchetown	274.2	3.20	3.52	6.81	5.38
Swan Reach	245.0	0.75	1.02	6.06	4.51
Mannum PS	149.8	0.75	0.76	3.15	1.90
Murray Bridge	115.3	0.75	0.71	2.06	1.26

Note that the above water levels may be affected by local wind conditions.

# River Murray Flow Report

## FURTHER INFORMATION

The WaterConnect website is South Australia's comprehensive water information portal and can be accessed at: <http://www.waterconnect.sa.gov.au>

Up-to-date River Murray flow and water level information can be accessed at the Department of Environment, Water and Natural Resources, SA Water and Murray-Darling Basin Authority websites:

<http://www.waterconnect.sa.gov.au/Systems/RTWD/SitePages/Home.aspx>

[www.sawater.com.au/SAWater/Environment/TheRiverMurray/River+Murray+Levels.htm](http://www.sawater.com.au/SAWater/Environment/TheRiverMurray/River+Murray+Levels.htm)

<http://www.mdba.gov.au/river-data/live-river-data>

The Department of Environment, Water and Natural Resources has published a series of inundation maps for the River Murray. They are available at: <http://www.waterconnect.sa.gov.au/Systems/RMIM/Pages/default.aspx>

Information on the management of acid drainage water in the Lower River Murray can be accessed online at:

[http://www.epa.sa.gov.au/environmental\\_info/water\\_quality/acid\\_sulfate\\_soils\\_ass/lower\\_river\\_murray\\_reclaimed\\_irrigation\\_area\\_lmria](http://www.epa.sa.gov.au/environmental_info/water_quality/acid_sulfate_soils_ass/lower_river_murray_reclaimed_irrigation_area_lmria)

Details of river height and rainfall information in the River Murray within Victoria and New South Wales are available at the Bureau of Meteorology website: <http://www.bom.gov.au/vic/flood>

Information provided by the Commonwealth Environmental Water Office can be accessed at:

[www.environment.gov.au/ewater/southern/murray/lower-murray.html](http://www.environment.gov.au/ewater/southern/murray/lower-murray.html)

Information on The Living Murray can be accessed at:

<http://www.mdba.gov.au/about-basin/environmental-sites>

Information is also available from the SA Water Hotline on **08 8595 2299**

Department of Environment, Water and Natural Resources

<http://www.environment.sa.gov.au/Home>

ID	RM-Flow-Report 20140822
Classification	Public I2 A2
Issued	22 August 2014
Authority	DEWNR
Master Document Location	Q:\OMP\RM REM\02 RM Ops\04 Communications\Flow Advices\2014-15
Managed and Maintained by	River Murray Operations
Author	River Murray Operations
Reviewer	Director River Murray Operations and Major Projects

