RIVER MURRAY FLOW ADVICE

Flow to South Australia

Issued 10:00 20 May 2011

This supersedes the previous flow advice update issued by the Department for Water (DFW) on 13 May 2011. A further flow advice will be provided on Friday 27 May 2011.

FLOW OUTLOOK

River Murray high flow is receding slowly, with the flow at Wentworth now at approximately 27,500 megalitres per day (ML/day). Flow at the South Australian border has reduced to around 26,000 ML/day and is steadily reducing. The flow is within the channel, with water progressively draining off the floodplain and adjacent areas. This outlook is subject to further rainfall and changed river operations upstream of South Australia. There are no further high flow peaks in transit upstream of South Australia.

Lock and Weir 7 (Rufus River, Victoria) will be reinstated this week. All other locks and weirs within South Australia have been reinstated.

Flow at Lock 1 is 36,000 ML/day and will continue to gradually reduce over the coming weeks.

As the flow to South Australia continues to reduce, there is a lot of debris such as trees and logs that could be floating on the surface or shallowly submerged. All water users should remain aware of such risks.

BARRAGE OPERATIONS AND WATER LEVELS IN THE LOWER LAKES

The water level in Lake Alexandrina is currently around 0.66m AHD. Water levels in Lakes Alexandrina and Albert and the Goolwa Channel have been high over the last few weeks due to additional water from the recent high flow event and constraints on releasing more water through the barrages and Murray Mouth. Some areas have experienced elevated salinity due to sea water backflow events.

Over the coming months the use of barrage operations, to lower and raise water levels to further freshen Lake Albert and remove salt from the Lower Lakes, will continue. It is anticipated that water levels will remain within a range of 0.6m AHD to 0.8m AHD.

In order to decrease and increase water levels in both lakes, it is necessary for some of the gates/bays to be opened and closed at the barrages to maintain the desired water level target. Both water levels and barrage operations are being continually monitored by the Department for Water, SA Water and the Department of Environment and Natural Resources.





River Murray Flow Advice - Update

It is important to note that water levels in the Lower Lakes may also vary considerably with wind speed and direction and this, when combined with the high water level, could result in some inundation of low-lying areas around the edges of Lake Alexandrina, Lake Albert or the Goolwa Channel.

RIVER MURRAY WATER LEVELS

SA Water and the Department for Water have developed a River Murray Water Level chart (attached) to provide water levels at a number of locations from Lock 10 (near Wentworth) to Murray Bridge.

FURTHER INFORMATION

The Department for Water has published a series of inundation maps for the River Murray. They are available at www.waterconnect.sa.gov.au

Up-to-date River Murray flow and water level information can be accessed at the Department for Water, SA Water and Murray-Darling Basin Authority websites:

http://data.rivermurray.sa.gov.au

www.sawater.com.au/SAWater/Environment/TheRiverMurray/River+Murray+Levels.htm http://www.mdba.gov.au/water/live-river-data

Details of river height and rainfall information in the River Murray within Victoria and New South Wales are available at the Bureau of Meteorology website:

http://www.bom.gov.au/vic/flood

Information on the discharge of acid drainage water into the Lower River Murray can be accessed online at www.waterforgood.sa.gov.au

The Murray-Darling Basin Authority publishes black water information on its website, including regularly updated bulletins and maps, at http://mdba.gov.au/water/blackwater



River Murray Water Levels as at 18 May 2011

Location	River Km	Normal Pool	Current Level	1974 Flood Level	1993 Flood Level
		Level	(m AHD)		
Lock 10	825.0	30.80	30.82	33.81	33.32
Lock 9 Kulnine	764.8	27.40	27.59	30.03	29.44
Lock 8 Wangumma	725.7	24.60	24.87	27.60	27.19
Lock 7 Rufus River	696.6	22.10	22.98	25.70	25.24
Lock 6 Murtho	619.8	19.25	19.37	21.03	20.50
Renmark	567.4	-	16.40	18.54	18.04
Lock 5	562.4	16.30	16.40	18.07	17.50
Lyrup	537.8	-	13.69	16.85	16.26
Berri	525.9	-	13.53	15.81	15.74
Lock 4	516.2	13.20	13.32	15.65	15.08
Loxton	489.9	-	11.45	15.05	14.12
Cobdogla	446.9	-	9.90	13.44	12.38
Lock 3	431.4	9.80	9.90	13.16	12.02
Overland Corner	425.9	-	7.99	12.73	11.58
Waikerie	383.6	-	-	11.26	10.24
Lock 2	362.1	6.10	6.40	10.28	9.30
Cadell	332.6	-	-	9.17	8.08
Morgan	321.7	-	4.20	8.85	7.65
Lock 1 Blanchetown	274.2	3.20	3.39	6.81	5.38
Swan Reach	245.0	0.75	1.63	6.06	4.51
Mannum PS	149.8	0.75	0.76	3.15	1.90
Murray Bridge	115.3	0.75	0.62	2.06	1.26

Note that water levels do not take into account local wind conditions.

Regularly updated daily water level information can be found at the following websites:

SA Water

www.sawater.com.au/SAWater/Environment/TheRiverMurray/River+Murray+Levels.htm

Department for Water

http://www.waterconnect.sa.gov.au/RMWD/Pages/default.aspx

Information is also available from the SA Water Hotline on 08 8595 2299

UPDATES

This advice remains current until the Department for Water notifies otherwise.



