RIVER MURRAY FLOW REPORT

Report #32/2013 Issued 10:00 am 9 August 2013

This supersedes the previous flow report issued by the Department of Environment, Water and Natural Resources (DEWNR) on 2 August 2013. The next flow report, including the Water Resources Update, will be provided on Friday, 16 August 2013.

FLOW OUTLOOK

Catchments are wet due to recent rainfall and high inflows are now being observed at a number of Upper River Murray tributaries including the Kiewa and Ovens Rivers. Currently, the storage at Hume Reservoir is 84 per cent capacity, Dartmouth Reservoir 97 per cent, and Lake Victoria 88 per cent. Further rainfall over the next few weeks may result in water being pre-released or spilling from these storages. This may extend the current period of unregulated flow along the River Murray.

The flow at the South Australian border is approximately 8 000 ML/day and will increase to around 12 000 ML/day early next week and likely to increase further, depending on upstream operations and rainfall events. The flow comprises the August Entitlement Flow (4 000 ML/day) plus unregulated flow. Due to recent rainfall events and the current operation of Lake Victoria, South Australia will receive unregulated flow until at least early September 2013.

The flow over Lock 1 is approximately 6 800 ML/day and will increase to around 11 000 ML/day early next week and likely to increase further, depending on weather conditions and extractions.

It is important to note that flow forecasts in this advice are based on the information available at the time of preparation. They may change as new gauging information becomes available, or due to rainfall events or changed operations upstream. Flow forecasts are dependent on predictions made by the Bureau of Meteorology, Murray-Darling Basin Authority and water management agencies in upstream jurisdictions. They will be revised as new information becomes available.

BARRAGE OPERATIONS AND WATER LEVELS IN THE LOWER LAKES

The water level in Lake Alexandrina is approximately 0.77 m AHD and approximately 0.78 m AHD in Lake Albert. During the coming week, barrage operations will target a water level between 0.70 m AHD and 0.75 m AHD in both Lakes and a minimum barrage release of 3 400 ML/day. Barrage releases are being prioritised through the Goolwa and Tauwitchere barrages to maintain an open and functioning Murray Mouth. All barrage fishways are in operation and are being supplemented with attractant flows in adjacent bays. SA Water will continue to operate the barrages to minimise any negative salinity impacts from reverse flow events during high tide or swell conditions.


To see live salinity data at various locations on the River Murray and in the Lower Lakes please refer to the following website: http://www.waterconnect.sa.gov.au/RMWD/Pages/default.aspx

Water levels and barrage operations are monitored closely by various agencies of the South Australian Government, Murray-Darling Basin Authority and Commonwealth Environmental Water Office.

NAVIGATION ISSUES

Under current flow, seasonal conditions and tidal activity, sand is being deposited inside the Murray Mouth and may present navigation hazards. Mariners are advised to navigate with caution when operating in the vicinity of the Murray Mouth.

As many of the weir pool water levels are near normal, river users should be aware of the risk of submerged navigation hazards such as sandbars, particularly downstream of Locks 7 and 8.





River Murray Flow Report

CONSTRUCTION WORKS

Currency Creek

The Currency Creek Regulator is being removed by Maritime Constructions Pty Ltd. The removal works are progressing well, with the dredging part of the project now complete. The water based works are continuing and should be complete in August.

Chowilla

Construction of the Chowilla Creek Environmental Regulator and associated structures is ongoing. For public safety reasons the Chowilla Creek remains closed to navigation at the construction site. Works are also underway on the upgrade of the weir on Pipeclay Creek at Chowilla to improve the management of flows into the Chowilla anabranch and to enable fish passage. Public access around the weir will be restricted during this construction program.

RIVER MURRAY IRRIGATORS - update your email address for improved service

If you would like quicker, easier and more efficient communication with DEWNR regarding water licensing matters, please phone (08) 8595 2053 or send details of your email or updated email address to DEWNRWatertrade@sa.gov.au

Benefits include:

- ✓ Irrigation reports sent direct to you
- ☑ Report returns can be submitted online
- ☑ Less paper in your in-tray
- ☑ Correspondence is quicker than traditional mail



River Murray Flow Report

RIVER MURRAY WATER LEVELS

Below is a table of River Murray water levels at a number of locations from Lock 10 (near Wentworth) to Murray Bridge.

River Murray Water Levels as at 7 August 2013

Location	River km	Normal Pool Level	Current Level (m AHD)	1974 Flood Level (m AHD)	1993 Flood Level (m AHD)
Lock 10	825.0	30.80	30.90	33.81	33.32
Lock 9 Kulnine	764.8	27.40	27.55	30.03	29.44
Lock 8 Wangumma	725.7	24.60	24.86	27.60	27.19
Lock 7 Rufus River	696.6	22.10	22.15	25.70	25.24
Lock 6 Murtho	619.8	19.25	19.28	21.03	20.50
Renmark	567.4	-	16.34	18.54	18.04
Lock 5	562.4	16.30	16.31	18.07	17.50
Lyrup	537.8	-	13.29	16.85	16.26
Berri	525.9	-	13.25	15.81	15.74
Lock 4	516.2	13.20	13.25	15.65	15.08
Loxton	489.9	-	10.16	15.05	14.12
Cobdogla	446.9	-		13.44	12.38
Lock 3	431.4	9.80	9.83	13.16	12.02
Overland Corner	425.9	-	6.35	12.73	11.58
Waikerie	383.6	-	6.29	11.26	10.24
Lock 2	362.1	6.10	6.15	10.28	9.30
Cadell	332.6	-	3.34	9.17	8.08
Morgan	321.7	-	3.33	8.85	7.65
Lock 1 Blanchetown	274.2	3.20	3.21	6.81	5.38
Swan Reach	245.0	0.75	0.72	6.06	4.51
Mannum PS	149.8	0.75	0.74	3.15	1.90
Murray Bridge	115.3	0.75	0.70	2.06	1.26

Note that the above water levels may be affected by local wind conditions.



River Murray Flow Report

FURTHER INFORMATION

The Department of Environment, Water and Natural Resources has published a series of inundation maps for the River Murray. They are available at: www.waterconnect.sa.gov.au/RMIM/

Up-to-date River Murray flow and water level information can be accessed at the Department of Environment, Water and Natural Resources, SA Water and Murray-Darling Basin Authority websites: www.waterconnect.sa.gov.au/RMWD/Pages/default.aspx www.sawater.com.au/SAWater/Environment/TheRiverMurray/River+Murray+Levels.htm www.mdba.gov.au/water/live-river-data

Details of river height and rainfall information in the River Murray within Victoria and New South Wales are available at the Bureau of Meteorology website: http://www.bom.gov.au/vic/flood

Information on the discharge of acid drainage water into the Lower River Murray can be accessed online at: http://www.epa.sa.gov.au/environmental info/water quality/acid sulfate soils ass/lower river murray reclaimed irrigation area Imria

Information provided by the Commonwealth Environmental Water Office can be accessed at: www.environment.gov.au/ewater/southern/murray/lower-murray.html

Information on The Living Murray can be accessed at: www.mdba.gov.au/programs/tlm/

Regularly updated daily water level information can be found at the following websites:

SA Water

www.sawater.com.au/SAWater/Environment/TheRiverMurray/River+Murray+Levels.htm

Information is also available from the SA Water Hotline on 08 8595 2299

Department of Environment, Water and Natural Resources www.waterconnect.sa.gov.au/RMWD/Pages/default.aspx

http://www.environment.sa.gov.au/Home

