

# RIVER MURRAY FLOW REPORT

Public I2 A2

Report #29/2016

Issued 10:00 am 5 August 2016

**This supersedes the previous flow report issued by the Department of Environment, Water and Natural Resources (DEWNR) on 29 July 2016. The next flow report will be provided on Friday, 12 August 2016.**

In this report, for ease of representation, large volumes of water are expressed in gigalitres (GL), while smaller volumes are expressed in megalitres (ML). One GL is equal to 1 000 ML.

## WATER ALLOCATIONS AND CARRYOVER

South Australian River Murray water access entitlement holders (Class 3a, 3b, 4, 7 and 8) will be provided with 89 per cent water allocation in 2016-17. Should the water resource availability improve, then these improvements will be translated into improvements in water allocations.

Eligible water access entitlement holders (Class 3a, 3b, 4 and 7) will also have access to private carryover. They will receive a letter and updated water account with their carryover volume endorsed. It is expected that this advice will be received in October 2016.

## MANAGEMENT OF SOUTH AUSTRALIA'S DEFERRED WATER

The Murray-Darling Basin Authority confirmed that on 1 August 2016, South Australia had 151.5 GL of deferred water held in storage. The table below identifies the storage in which it is held and the purpose.

At 1 August 2016				
Purpose	Lake Victoria (GL)	Hume (GL)	Dartmouth (GL)	Total (GL)
*CHWN	0.0	9.8	82.0	91.8
Private Carryover	0.0	0.0	59.7	59.7
Total	0.0	9.8**	141.7	151.5

\*Critical Human Water Needs (CHWN)

\*\* There is an increasing risk of this volume spilling in the near future.

Volumes stored are adjusted for net evaporation losses and spills until delivered to South Australia.

As a result of the unregulated flow event, Lake Victoria is now effectively spilling. The 57.7 GL of South Australia's deferred water that was held in Lake Victoria has completely spilled. This is due to the rules under the Murray-Darling Basin Agreement, where water held in South Australia's Storage Right must not affect water availability to New South Wales and Victoria. This spilled water was able to be re-regulated in the Barrage Weir Pool and made available to SA Water for consumptive use – freeing up 57.7 GL for allocation to Entitlement holders. Water held in Dartmouth currently has a low risk of spill but the water held in Hume Reservoir is now at an increasing risk of spill.

Opportunities to defer and store water are considered on the basis of how Entitlement Flow is managed, plus operational flow objectives for water quality and weather conditions.

## FLOW OUTLOOK

South Australia is experiencing a unique situation where it is currently expecting to receive less than its Entitlement Flow for the 2016-17 water year, but receiving an unregulated flow event. The unregulated flow event is a result of rainfall and inflows to the River Murray System below Hume and Dartmouth Reservoirs (from sources such as the Murrumbidgee and Ovens Rivers), therefore the only opportunity to capture and store (regulate) this water is in Lake Victoria. Lake Victoria is now effectively full so the additional water will flow into



South Australia as an unregulated flow (meaning it cannot be captured in a Murray-Darling Basin Authority controlled storage and allocated for use at a later time).

The flow at the South Australian border is approximately 25.5 GL/day and will increase to around 27.5 GL/day during the coming week. It comprises the normal August Entitlement Flow of 4 GL/day plus environmental water and unregulated flow. There is potential for further increases over the coming weeks in response to ongoing high inflows upstream of Yarrawonga Weir.

The flow over Lock 1 is approximately 23 GL/day and will increase to around 24.5 GL/day during the coming week, depending on weather conditions and extractions.

It is important to note that flow forecasts in this advice are based on the information available at the time of preparation. They may change as new gauging information becomes available, or due to rainfall events or changed operations upstream. The forecasts will be revised as new information becomes available.

### ENVIRONMENTAL WATER

During August 2016, the Commonwealth Environmental Water Holder (CEWH) and the Murray-Darling Basin Authority's *The Living Murray* are expected to provide up to 2 GL of environmental water to South Australia. The environmental water will provide in-channel, Lower Lakes and Coorong environmental and water quality benefits.

DEWNR is continuing discussions regarding environmental water to be delivered during 2016-17.

### MURRAY MOUTH

Dredging operations at the Murray Mouth commenced on 9 January 2015 to maintain connectivity (exchange of water) between the Coorong and the Southern Ocean. Dredges are operating in the Tauwitchere and Goolwa Channels. At 31 July 2016, approximately 1 507 000 cubic metres of sand had been removed. The dredging operations combined with recent significant barrage releases have improved conditions at the Murray Mouth.

Mariners are advised that there are a number of shallow zones in and adjacent to the Murray Mouth, and should follow all directions in the area and reduce their speed. Boats equipped with echo sounders should regularly check depths and avoid travelling at low tide. Mariners are reminded that navigation through the Murray Mouth is only permitted during daylight hours and that Exclusion Zones established around the dredging operations remain in place to ensure public safety. For more information refer to the Notice to Mariners at <http://dpti.sa.gov.au/news/?a=247918>

There is also a partial park closure in place for the northern tip of the Coorong National Park. For more information refer to the following [http://www.environment.sa.gov.au/parks/Safety/Park\\_closures/141219-coorong-national-park](http://www.environment.sa.gov.au/parks/Safety/Park_closures/141219-coorong-national-park). Signage has been installed at appropriate locations advising of Exclusion Zones.

### BARRAGE OPERATIONS AND WATER LEVELS IN THE LOWER LAKES

The water level in Lake Alexandrina is approximately 0.82 m AHD and in Lake Albert approximately 0.77 m AHD. The difference in water levels is due to wind effects.

Due to additional water being delivered to the Lower Lakes (as a result of the unregulated flow event), when weather conditions are suitable, barrage releases have been prioritised at Goolwa, Tauwitchere and Ewe Island. These operations are likely to continue into next week, when the weather conditions permit. The barrages will be closed from time to time to minimise the risk of seawater entering Lake Alexandrina during adverse conditions. During the week ending 2 August 2016 total barrage releases were approximately 145 GL.

Fishways are operational to provide fish passage between Lake Alexandrina and the Coorong.

SA Water will continue to operate the barrages to minimise any negative salinity impacts from reverse flow events.

Water levels and barrage operations are monitored closely by South Australian Government agencies the Murray-Darling Basin Authority and Commonwealth Environmental Water Office.

### WEIR POOL OPERATIONS

The Lock 1 weir pool remains approximately 0.1 m below the normal pool level of 3.2 m AHD to enable engineering investigations to be undertaken at the weir.

Using the current unregulated flow event, the Lock 2 and Lock 5 weir pools have been raised to the top of their normal operating range as defined in the table below.

Weir	Normal Pool Level (NPL) m AHD	Normal Operating Range m AHD
Lock 5 - Renmark	16.30	16.22 - 16.43
Lock 2 – Waikerie	6.10	6.02 - 6.40

Raising the water level to the top of the normal operating range is being treated as the first stage of a more substantial weir pool raising event being considered by DEWNR. The next stage would be to raise the Lock 2 weir pool by up to 0.75 m above normal pool level (NPL) and Lock 5 weir pool by up to 0.5 m above NPL, during spring (August to October). This would raise Lock 2 to 6.85 m AHD and Lock 5 to 16.80 m AHD. While these events are being planned, any further operation or activity will depend on the flow to South Australia (including unregulated flow), and availability of environmental water across the River Murray System.

Weir pool manipulations aim to reinstate some of the natural variability of water levels in the River Murray system, which has been lost due to river regulation. The manipulations will assist to improve lateral connectivity, health, resilience and biodiversity of the river channel, floodplain and wetlands. It is intended that weir pool manipulations will become a routine part of river operations.

### CHOWILLA WATERING

A range of environmental watering actions are being considered for the Chowilla Floodplain Icon site during 2016-17. Based on the improving water resource outlook, planning is in progress to commence the further testing of the Chowilla Regulator operation from mid-August. Operation is anticipated to commence once it is clear that the flow at the South Australian border will exceed 15 GL/day for an extended period, and environmental water will be made available. The further testing of the Chowilla Regulator would also be undertaken in conjunction with raising Lock 6.

### MODERNISATION OF WAIKERIE RIVER VESSEL WASTE DISPOSAL STATION

Modernisation of the Waikerie River Vessel Waste Disposal Station commenced on 25 July 2016. The facility will be closed until 31 October 2016. Alternative temporary arrangements for pumping waste from vessels have been arranged. The temporary pump-out service is available 1 kilometre downstream of the Waikerie River Vessel Waste Disposal Station. Users will need to call Mr Mick Kemp on 0428 861 777 to arrange a suitable time between 8 am and 4 pm. Please note that at least 3 hours notice will be essential.

### NAVIGATION ISSUES

Sandbars in the vicinity of the Murray Mouth may cause navigation hazards. Mariners are advised to navigate with caution when operating in the area. Sandbars are also present along sections of the River Murray, downstream of Locks 7 and 8 and in South Australia. All watercraft users should be aware of the risk of submerged navigation hazards, and should regularly check river depth.

## RIVER MURRAY WATER LEVELS

Below is a table of River Murray water levels at a number of locations from Lock 10 (near Wentworth) to Murray Bridge.

### River Murray Water Levels on 3 August 2016

Location	River km	Normal Pool Level	Current Level (m AHD)	1974 Flood Level (m AHD)	1993 Flood Level (m AHD)	2011 High Water Level (m AHD)
Lock 10	825.0	30.80	30.80	33.81	33.32	32.28
Lock 9 Kulnine	764.8	27.40	27.58	30.03	29.44	28.80
Lock 8 Wangumma	725.7	24.60	24.70	27.60	27.19	26.79
Lock 7 Rufus River	696.6	22.10	22.56	25.70	25.24	24.92
Lock 6 Murtho	619.8	19.25	19.26	21.03	20.50	20.11
Renmark	567.4	-	-	18.54	18.04	17.38
Lock 5	562.4	16.30	16.46	18.07	17.50	17.05
Lyrup	537.8	-	13.45	16.85	16.26	15.68
Berri	525.9	-	13.32	15.81	15.74	15.16
Lock 4	516.2	13.20	13.26	15.65	15.08	14.75
Loxton	489.9	-	10.78	15.05	14.12	13.42
Cobdogla	446.9	-	-	13.44	12.38	11.52
Lock 3	431.4	9.80	9.83	13.16	12.02	10.93
Overland Corner	425.9	-	7.07	12.73	11.58	10.27
Waikerie	383.6	-	6.67	11.26	10.24	9.06
Lock 2	362.1	6.10	6.40	10.28	9.30	8.25
Cadell	332.6	-	3.70	9.17	8.08	6.82
Morgan	321.7	-	3.54	8.85	7.65	6.20
Lock 1 Blanchetown	274.2	3.20	3.16	6.81	5.38	4.42
Swan Reach	245.0	0.75	1.09	6.06	4.51	3.09
Mannum PS	149.8	0.75	0.89	3.15	1.90	1.46
Murray Bridge	115.3	0.75	0.81	2.06	1.26	1.21

Note that the above water levels may be affected by local wind conditions.

## River Murray Flow Report

### FURTHER INFORMATION

The WaterConnect website is South Australia's comprehensive water information portal and can be accessed at <http://www.waterconnect.sa.gov.au>

Up-to-date River Murray salinity, flow and water level information can be accessed at the Department of Environment, Water and Natural Resources, SA Water and Murray-Darling Basin Authority websites  
[www.environment.sa.gov.au/managing-natural-resources/river-murray/water-allocation-and-trade/water-allocations-and-announcements](http://www.environment.sa.gov.au/managing-natural-resources/river-murray/water-allocation-and-trade/water-allocations-and-announcements)  
[www.waterconnect.sa.gov.au/Systems/RTWD/Pages/Default.aspx](http://www.waterconnect.sa.gov.au/Systems/RTWD/Pages/Default.aspx)  
[www.sawater.com.au/SAWater/Environment/WaterProofingAdelaide/TheRiverMurray/RMOU/Dailyflow.htm](http://www.sawater.com.au/SAWater/Environment/WaterProofingAdelaide/TheRiverMurray/RMOU/Dailyflow.htm)  
<http://livedata.mdba.gov.au/>

The latest news, information and announcements about the River Murray and Basin Plan are available at [River Murray Update](#)

The Department of Environment, Water and Natural Resources has published a series of inundation maps for the River Murray. They are available at [www.waterconnect.sa.gov.au/Systems/RMIM/SitePages/Home.aspx](http://www.waterconnect.sa.gov.au/Systems/RMIM/SitePages/Home.aspx)

Information on the management of acid drainage water in the Lower River Murray can be accessed at [www.epa.sa.gov.au/environmental\\_info/water\\_quality/programs/acid\\_sulfate\\_soils/lower\\_river\\_murray\\_reclaimed\\_irrigation\\_area\\_lmria](http://www.epa.sa.gov.au/environmental_info/water_quality/programs/acid_sulfate_soils/lower_river_murray_reclaimed_irrigation_area_lmria)

Details of river height and rainfall information in the River Murray within Victoria and New South Wales are available at the Bureau of Meteorology website [www.bom.gov.au/vic/flood](http://www.bom.gov.au/vic/flood)

Information provided by the Commonwealth Environmental Water Office can be accessed at [www.environment.gov.au/ewater/southern/murray/lower-murray.html](http://www.environment.gov.au/ewater/southern/murray/lower-murray.html)

Information on The Living Murray can be accessed at [www.mdba.gov.au/managing-water/environmental-water/delivering-environmental-water/living-murray-program](http://www.mdba.gov.au/managing-water/environmental-water/delivering-environmental-water/living-murray-program)

Chowilla Floodplain Icon Site management [www.environment.sa.gov.au/Chowilla-floodplain](http://www.environment.sa.gov.au/Chowilla-floodplain)

Department of Environment, Water and Natural Resources [www.environment.sa.gov.au/Home](http://www.environment.sa.gov.au/Home)

Information provided by the Department of Transport, Energy and Infrastructure on boat licences, registering motor boats, owning and operating water craft, and boat and marine safety can be accessed at [www.sa.gov.au/boatingmarine](http://www.sa.gov.au/boatingmarine)

ID	RM-Flow-Report-20160805
Classification	Public I2 A2
Issued	5 August 2016
Authority	DEWNR
Master Document Location	Q:\OMP\RM REM\02 RM Ops\04 Communications\Flow Advices\2016-17
Managed and Maintained by	River Murray Operations
Author	River Murray Operations
Reviewer	Director River Murray Operations, Strategy and Advice

