

# RIVER MURRAY FLOW REPORT

Public I2 A2

**Report #19/2017**

**Issued 10:00 am 12 May 2017**

**This supersedes the previous flow report issued by the Department of Environment, Water and Natural Resources (DEWNR) on 5 May 2017. The next report will be provided on Friday 19 May 2017.**

In this report, for ease of representation, large volumes of water are expressed in gigalitres (GL), while smaller volumes are expressed in megalitres (ML). One GL is equal to 1 000 ML.

## **FLOW OUTLOOK**

The flow at the South Australian border is approximately 10.5 GL/day and will decrease to around 7 GL/day during the coming week. It comprises:

- normal May Entitlement Flow 3 GL/day;
- plus Lake Victoria spill (portion of South Australia's Storage Right)
- plus environmental water; and
- interstate trade adjustments.

The current increased flow to South Australia is a result of an interstate rainfall event in late April, which reduced irrigation demands and system losses. This event was upstream of Lake Victoria. The rule in the Lake Victoria Operating Strategy requires the water level in Lake Victoria to be at a maximum of 24.5 m (350 GL) by the end of May. As a result, Lake Victoria is currently being managed to meet this target. Water released from Lake Victoria, or bypassing Lake Victoria, to enable this target to be met is considered to have spilled. In accordance with Schedule G of the Murray-Darling Basin Agreement, the first water to spill from a storage is South Australia's deferred water. Approximately 40 GL to 45 GL of South Australia's deferred water is likely to spill from this event.

The spill will have no impact on 2016-17 or 2017-18 water allocations. River Murray water access entitlement holders (Class 3a, 3b, 4, 7 and 8) will receive 100% water allocation in 2017-18 and private carryover will not be made available. Private carryover will not be available in 2017-18 due to the positive water resource availability outlook and the high risk of spill from the Murray-Darling Basin controlled storages.

The flow over Lock 1 is approximately 7 GL/day and will remain around this rate during the coming week, depending on weather conditions and extractions.

It is important to note that flow forecasts in this advice are based on the information available at the time of preparation. Advice may change as new gauging information becomes available, or due to rainfall events or changed operations upstream. The forecasts will be revised as new information becomes available.

## **ENVIRONMENTAL WATER**

During May, approximately 60 GL of environmental water will be delivered to South Australia. The environmental water will provide in-channel, Lower Lakes and Coorong environmental and water quality benefits.

DEWNR is continuing discussions regarding environmental water to be delivered during the remainder of 2016-17.



## MURRAY MOUTH

Dredging operations at the Murray Mouth commenced on 9 January 2015 to maintain connectivity (exchange of water) between the Coorong and the Southern Ocean.

One dredge is operating in the Goolwa and Tauwitchere channels (currently operating in Goolwa channel). At 7 May 2017, a total of approximately 1 942 600 cubic metres of sand had been removed by dredging operations since commencement.

Mariners are advised that there are still a number of shallow zones in and adjacent to the Murray Mouth. They should follow all directions in the area and reduce their speed. Boats equipped with echo sounders should regularly check depths and avoid travelling at low tide. Mariners are reminded that navigation through the Murray Mouth is only permitted during daylight hours and that Exclusion Zones established around the dredging operations are in place to ensure public safety. Refer to Notice to Mariners No 42 of 2016

[www.dpti.sa.gov.au/news?a=287322](http://www.dpti.sa.gov.au/news?a=287322)

There is a partial park closure in place for the northern tip of the Coorong National Park. For more information visit [www.environment.sa.gov.au/parks/Safety/Park\\_closures/141219-coorong-national-park](http://www.environment.sa.gov.au/parks/Safety/Park_closures/141219-coorong-national-park).

## BARRAGE OPERATIONS AND WATER LEVELS IN THE LOWER LAKES

The water level in Lake Alexandrina and Lake Albert is approximately 0.62 m AHD. Water levels are being managed to achieve a target water level of at least 0.6 m AHD by the end of June 2017.

During the week ending 9 May 2017, total barrage releases were approximately 15 GL. When conditions are favourable, releases are being prioritised at Tauwitchere and Goolwa Barrages. During adverse weather conditions SA Water will operate the barrages to minimise the risk of seawater entering Lake Alexandrina, therefore minimising any negative salinity impacts from reverse flow events. All fishways are operational and providing fish passage between Lake Alexandrina and the Coorong.

Water levels and barrage operations are monitored closely by the South Australian Government, the Murray-Darling Basin Authority and the Commonwealth Environmental Water Office.

## WEIR POOL OPERATIONS (*current*)

The Lock 1 weir pool is approximately 0.1 m below the normal pool level of 3.2 m AHD to enable engineering works to be undertaken at the weir.

## WEIR POOL OPERATIONS (*Potential*)

DEWNR is considering a number of weir pool manipulations during 2017. The manipulations are likely to occur from early winter to early summer. Further details of the proposed manipulations will be communicated in the coming weeks.

## NAVIGATION ISSUES

Sandbars in the vicinity of the Murray Mouth may cause navigation hazards. Mariners are advised to navigate with caution when operating in the area. Sandbars are also present along sections of the River Murray downstream of Locks 7 and 8 and in South Australia. All Mariners should be aware of the risk of submerged navigation hazards, and should regularly check river depth.

## RIVER MURRAY WATER LEVELS

Below is a table of River Murray water levels at a number of locations from Lock 10 (near Wentworth) to Murray Bridge.

**River Murray Water Levels**

Location	River km	Normal Pool Level (m AHD)	Current Level 10/5/2017 (m AHD)	1974 Flood Level (m AHD)	1993 Flood Level (m AHD)	2016 High Water Level (m AHD)
Lock 10	825.0	30.80	30.81	33.81	33.32	32.72
Lock 9 Kulnine	764.8	27.40	27.43	30.03	29.44	28.85
Lock 8 Wangumma	725.7	24.60	23.99	27.60	27.19	26.85
Lock 7 Rufus River	696.6	22.10	21.63	25.70	25.24	24.97
Lock 6 Murtho	619.8	19.25	19.29	21.03	20.50	20.19
Renmark	567.4	-	16.34	18.54	18.04	17.44
Lock 5	562.4	16.30	16.33	18.07	17.50	17.05
Lyrup	537.8	-	13.29	16.85	16.26	15.80
Berri	525.9	-	13.28	15.81	15.74	15.21
Lock 4	516.2	13.20	13.26	15.65	15.08	14.73
Loxton	489.9	-	10.15	15.05	14.12	13.54
Cobdogla	446.9	-	9.90	13.44	12.38	11.59
Lock 3	431.4	9.80	9.86	13.16	12.02	10.98
Overland Corner	425.9	-	6.31	12.73	11.58	10.41
Waikerie	383.6	-	6.30	11.26	10.24	9.20
Lock 2	362.1	6.10	6.14	10.28	9.30	8.32
Cadell	332.6	-	3.24	9.17	8.08	7.01
Morgan	321.7	-	3.19	8.85	7.65	6.38
Lock 1 Blanchetown	274.2	3.20	3.13	6.81	5.38	4.46
Swan Reach	245.0	0.75	0.60	6.06	4.51	3.11
Mannum PS	149.8	0.75	0.62	3.15	1.90	1.33
Murray Bridge	115.3	0.75	0.55	2.06	1.26	1.04

Note that the above water levels may be affected by local wind conditions.

# River Murray Flow Report

## FURTHER INFORMATION

The WaterConnect website is South Australia's comprehensive water information portal and can be accessed at [www.waterconnect.sa.gov.au](http://www.waterconnect.sa.gov.au)

Up-to-date River Murray salinity, flow and water level information can be accessed at the Department of Environment, Water and Natural Resources, SA Water and Murray-Darling Basin Authority websites

- [www.environment.sa.gov.au/managing-natural-resources/river-murray/water-allocation-and-trade/water-allocations-and-announcements](http://www.environment.sa.gov.au/managing-natural-resources/river-murray/water-allocation-and-trade/water-allocations-and-announcements)
- [www.waterconnect.sa.gov.au/Systems/RTWD/Pages/Default.aspx](http://www.waterconnect.sa.gov.au/Systems/RTWD/Pages/Default.aspx)
- [www.sawater.com.au/SAWater/Environment/WaterProofingAdelaide/TheRiverMurray/RMOU/Dailyflow.htm](http://www.sawater.com.au/SAWater/Environment/WaterProofingAdelaide/TheRiverMurray/RMOU/Dailyflow.htm)
- <http://livedata.mdba.gov.au/>

The latest news, information and announcements about the River Murray and Basin Plan are available at [River Murray Update](#).

The Department of Environment, Water and Natural Resources has published a series of inundation maps for the River Murray. They are available at [www.waterconnect.sa.gov.au/Systems/RMIM/SitePages/Home.aspx](http://www.waterconnect.sa.gov.au/Systems/RMIM/SitePages/Home.aspx)

Information on the management of acid drainage water in the Lower River Murray can be accessed at [www.epa.sa.gov.au/environmental\\_info/water\\_quality/programs/acid\\_sulfate\\_soils/lower\\_river\\_murray\\_reclaimed\\_irrigation\\_area\\_lmria](http://www.epa.sa.gov.au/environmental_info/water_quality/programs/acid_sulfate_soils/lower_river_murray_reclaimed_irrigation_area_lmria)

Details of river height and rainfall information in the River Murray within Victoria and New South Wales are available at the Bureau of Meteorology website [www.bom.gov.au/vic/flood](http://www.bom.gov.au/vic/flood)

Information provided by the Commonwealth Environmental Water Office can be accessed at [www.environment.gov.au/ewater/southern/murray/lower-murray.html](http://www.environment.gov.au/ewater/southern/murray/lower-murray.html)

Information on The Living Murray can be accessed at [www.mdba.gov.au/managing-water/environmental-water/delivering-environmental-water/living-murray-program](http://www.mdba.gov.au/managing-water/environmental-water/delivering-environmental-water/living-murray-program)

Chowilla Floodplain Icon Site management [www.environment.sa.gov.au/Chowilla-floodplain](http://www.environment.sa.gov.au/Chowilla-floodplain)

Department of Environment, Water and Natural Resources [www.environment.sa.gov.au](http://www.environment.sa.gov.au)

Information provided by the Department of Planning, Transport and Infrastructure on boat licences, registering motor boats, owning and operating water craft, and boat and marine safety can be accessed at [www.sa.gov.au/boatingmarine](http://www.sa.gov.au/boatingmarine)

ID	RM-Flow-Report 20170512
Classification	Public I2 A2
Issued	12 May 2017
Authority	DEWNR
Master Document Location	Q:\OMP\RM REM\02 RM Ops\04 Communications\Flow Advices\2016-17
Managed and Maintained by	River Murray Operations
Author	River Murray Operations
Reviewer	Director River Murray Operations, Water