

SA River Murray Flow Report



Report #46/2025

Issued 12:00pm 14 November 2025

This supersedes the previous Flow Report issued by the Department for Environment and Water (DEW) on 7 November 2025. The next Flow Report will be provided on Friday 21 November 2025.

Flow outlook



The flow at the South Australian border this Friday is approximately 16 GL/day and is forecast to remain at 16 GL/day to next Friday.

The current flow at the South Australian border includes November Entitlement Flow (6.0 GL/day), which is adjusted for deferred entitlement volume that is stored and accumulated for critical human water needs and private carryover during dry periods. Flow at the SA Border also includes Additional Dilution Flow (ADF) and environmental water from upstream deliveries from the Goulburn River and Hume Dam.

The flow over Lock 1 this Friday is approximately 12.0 GL/day and is expected to increase to 14.0 GL/day by next Friday.

It is important to note that flow forecasts in this advice are based on the information available at the time of preparation. Advice may change as new gauging information becomes available or due to rainfall events or changed operations upstream.

Water levels

Current water levels are updated daily and can be found on [WaterConnect](https://www.waterconnect.sa.gov.au/).

Upstream flows, rainfall and storages

Rainfall across the Murray-Darling Basin this week was concentrated in the north and south, with large patches of the central Basin receiving little to no rain. Queensland and north-eastern New South Wales received 1-10mm, with isolated patches of up to 15mm. Much of central New South Wales remained dry. Southern New South Wales, Victoria and South Australia received rainfall of 1-5mm, with Victoria receiving up to 25mm in the south-east. Rainfall distribution within the Basin can be found at <http://www.bom.gov.au/climate/maps/rainfall/>.

South Australia receives an additional 3 GL/day of Additional Dilution Flow (ADF) when triggers are met. During November, the ADF triggers require Menindee Lakes Storage volumes to be above 1,300 GL and the combined volume of both Hume and Dartmouth reservoirs to be greater than 2,000 GL. These triggers are currently being met, and South Australia is receiving the additional 3 GL/day of ADF. As of 14 November 2025, releases from Menindee Lakes will be targeting 5.0 GL/day at Weir 32.

As of 13 November 2025, Dartmouth Dam storage has increased slightly to 2,830 GL, remaining around 73% of capacity, and Hume Dam storage has decreased to 1,426 GL, or 47% of capacity. Storage in the Menindee Lakes continues to decrease and is at 1,323 GL, or 76% of capacity.

Lake Victoria storage is at 606 GL, or 90% capacity. Releases from Lake Victoria are currently contributing to approximately 5% of the flow to South Australia.

Flows at the South Australia border averaged around 11 GL/day over the past week.

This forecast remains subject to change, depending on river operations and catchment rainfall. More information on upstream conditions and forecasts can be found in the [Murray-Darling Basin Authority's Weekly Flow Report](#).

Water quality

Water quality upstream of SA

Please be advised that with additional flows coming from the Darling River there will be an increase in turbidity of the water in the main channel of the River Murray. Horticulturalists may consider this as part of filtration and backflush programs for irrigation systems.

Algal blooms within SA

Coorong

Water testing in the Coorong continues to be undertaken on a fortnightly basis. The sampling is helping with understanding how the *Karenia* algal bloom situation is progressing and informs any potential future management options. Government agencies are working together to continue to monitor the situation.

For algal bloom water testing results and further information visit [Algal Bloom Water Sampling Dashboard](#).

For Coorong North Lagoon water quality and environmental conditions visit [Coorong North Lagoon Conditions Dashboard](#).

The Coorong region remains open. Visitors are advised to check signage and avoid contact with discoloured water, foamy water, or water where marine life is dead or in poor health. When the algae are broken up by wave action, algal particles can cause short-term skin or eye irritation and respiratory symptoms, including a cough or shortness of breath. If you notice symptoms, move away from the beach or water. Most symptoms will resolve within hours of leaving the area.

Health advice for people with asthma

Some algal species can release biotoxins into the air through wave action that may trigger symptoms in people with asthma.

People with asthma are advised to:

- carry their reliever medication with them while on beaches, especially when there is thick, visible foam or discoloured water
- take their preventive medication as prescribed
- check their asthma management plan is up-to-date.

People with known asthma, emphysema, bronchitis, or other form of chronic lung disease may be more vulnerable to the respiratory effects of biotoxins and should avoid areas where there is discoloured or foamy water, particularly if there is an onshore breeze.

International evidence indicates there are no long-term health consequences of exposure at the beach to either algal particles or biotoxins.

If symptoms persist, see your doctor.

For further information visit the [SA Health – Water quality alerts](#) page.

For the latest information please visit the SA Government [algal bloom](#) page.

Algal blooms upstream of SA

WaterNSW issues blue-green algae (BGA) alerts as Red, Amber or Green. A red alert indicates a toxic algal bloom, making the water dangerous for humans and animals; an amber alert indicates BGA may be multiplying in numbers and water should be considered unsuitable for human or animal consumption but remains suitable for recreational use; and a green alert indicates the presence of BGA but not at levels to pose a threat to recreational, stock or domestic use.

WaterNSW has issued a red alert for the Great Darling Anabranch (Silver City Highway). Numerous BGA amber and green alerts apply to the River Murray between Lake Hume and the SA border. Further details of the current NSW alert locations can be found on the [WaterNSW website – Algae Alerts page](#).

Victoria's Goulburn-Murray Water has issued a BGA warning at Lake Boga. Details of the current VIC alert locations can be found on the [Blue-Green Algae Warnings - Goulburn Murray Water](#) page.

Water for the environment delivery

Approximately 3-5 GL/day of water for the environment is expected to arrive at the South Australian border over the coming week. The majority of the environmental water arriving consists of return flows from the Murrumbidgee River spring pulse and releases from Hume dam. This water is supporting floodplain watering actions, improving river channel habitat for native fish - including creating conditions suitable for Murray cod breeding, and increasing flow to the Lower Lakes and Coorong. Water for the environment also continues to be delivered as part of SA's Entitlement flow.

The floodplain operations underway include:

- Katarapko floodplain - Water levels at Katarapko are now gradually drawing down from the recent operation of the floodplain infrastructure. Lock 4 is still raised with the drawdown currently in progress.
- Pike floodplain - operation at the Pike environmental regulator commenced in mid-September and the drawdown has recently commenced. Lock 5 is also currently raised (approximately 30cm above pool level) and the drawdown will commence in mid- November.
- Chowilla - operation of the Chowilla regulator commenced on 3 September and the drawdown is now in progress. Lock 6 has also been raised by up to 40 cm above normal pool level (up to 19.65 m AHD). The gradual drawdown of Lock 6 has recently commenced.
- Lock 2 - raising commenced on 3 September with the level being raised by on average 2.5 cm/day. The water level is now 50 cm above normal pool level (up to 6.6 m AHD). Drawdown will commence in late November.

For further information about the planned operations please visit:

[Chowilla Floodplain 2025-26 proposed environmental water operations](#)

[Pike Floodplain 2025-26 proposed environmental water operations](#)

[Katarapko Floodplain 2025-26 proposed environmental water operations](#)

[Lock 2 weir pool proposed environmental water operations](#)

Planning for further delivery of water for the environment throughout 2025-26 is continuing and further delivery is expected throughout late November and into December.

Murray Mouth

Dredging is continuing directly in the Murray Mouth at the junction of the Tauwitchere and Goolwa Channels.

Barrage releases, combined with dredging throughout most of the year, help to maintain flow connectivity of the River Murray Channel to the Murray Mouth and assist in exporting salt from the river system.

Exclusion Zones established around the dredging operations are in place to ensure public safety. Refer to [Notice to Mariners No 61 of 2023](#).

Barrage operations and water levels in the Lower Lakes

As of 13 November 2025, the water level in Lake Alexandrina is approximately 0.8m AHD and Lake Albert is approximately 0.82m AHD, noting that lake levels can fluctuate considerably depending on wind conditions.

The Lower Lakes are managed, as far as practicable, to target a daily average lake level between 0.75m AHD and 0.85m AHD throughout November.

Successive storm surge events since the end of May have resulted in increased salinity in the upstream vicinity of the barrages, including through the Goolwa Channel. Water users in this area are advised that water quality may be highly variable. During adverse weather conditions and high tides, SA Water operates the barrages to minimise the risk of seawater entering Lake Alexandrina, therefore minimising any negative salinity impacts from reverse flow events. The four successive storm surge events from May through to July are the four highest on record (dating back to 1976) at the Goolwa barrage downstream monitoring station.

Barrage gate operations are adjusted to release water when tidal conditions permit and are dependent on upstream flows, lake levels and variable weather conditions.

Gate openings at the barrages can now be viewed on [Water Data SA – Barrage dashboard](#).

Total daily flow releases from the barrages can also be found on [Water Data SA – Flows dashboard](#).

River Murray vessel waste disposal stations

The Lock 3 River Vessel Waste Disposal Station has been out of commission since January 2020 due to a significant infrastructure failure. The nearest alternative waste facility is located at Waikerie. Normal boat hard waste (domestic or galley waste) can still be deposited at the Lock 3 facility at the present time.

You can report any River Vessel Waste Disposal Station issues on 1800 799 065.

If you have any questions, please contact the DEW WIO Engagement Team on DEW.WIOCommunications@sa.gov.au

Salinity

Salinity levels throughout the River Murray in South Australia are within their typical range. Nonetheless, it is possible that some irrigators may record higher salinity readings at isolated locations. These higher readings are more likely to be observed at the bottom of the water column.

Salinity throughout the Goolwa Channel from the Goolwa Barrage to Clayton Bay remains elevated as a result of salt water ingress from recent storm surge events.

Irrigators are encouraged to monitor the [daily salinity levels](#) provided by SA Water as part of their business operations.

Intermediate remediation of the LMRIA levees project

The Intermediate Remediation of the LMRIA Levees project is jointly funded by the Australian and South Australian governments, through the Disaster Recovery Funding Arrangements. This project will return the severely flood damaged sections of government and private levees to their pre-flood height.

Intermediate remediation works update:

- On-ground remediation works have been completed at Pompoota, Long Flat, Wall Flat, Mypolonga, Burdett and Mobilong.
- Construction works at Cowirra, Toora, and Placid are continuing to progress. The substantive on-ground works at Neeta have been completed with final project close-out activities underway.
- The Department for Environment and Water (DEW) is working with the Department for Infrastructure and Transport (DIT), as the state infrastructure agency, on the procurement of contractors to undertake works on the remaining private levees that were severely damaged during the 2022-23 River Murray flood. The request for tender issued by DIT has closed and submissions have been assessed with approval processes currently underway.
- The department is continuing to review the geotechnical assessment reports.

Government levees in the LMRIA are temporarily closed to the public.

Where intermediate remediation works are required for government levees, they will remain temporarily closed until the works are progressively completed. All government levees remain temporarily closed pending the outcome of full condition assessments and safety risk assessments to ensure safe access can be determined before opening to the public. These assessments and associated works including but not limited to, sign installation, fence installation and tree assessments are underway and likely to be completed early 2026.

The government levee banks are Cowirra, Neeta, Wall Flat, Pompoota, Mypolonga, Mobilong, Burdett, Long Flat, Monteith and Jervois.

Recreational activities

Recreational activities are not permitted on the levees while they are closed, including:

- walking and running
- cycling
- fishing
- driving vehicles
- mooring houseboats and other vessels.

Designated council houseboat mooring sites can be obtained from the relevant local council website.

Access to private levees is at the landholder's discretion, however, access is not permitted where remediation works are being undertaken.

The safety of the public is of paramount importance and DEW will keep the community informed of the project's progress, including when levees may be accessible to the public, through its website and newsletter.

For more information, please visit [Department for Environment and Water – Levees](#)

If you have any questions, please contact Lisa van der Linde, Communications and Engagement Officer on 0437 313 087 or Lisa.vanderlinde@sa.gov.au

Waterbird Aerial Survey 2025

From 30 September to 30 November, the University of NSW will be conducting the 2025 Eastern Australian Waterbird Survey.

The Eastern Australian Waterbird Survey is one of the largest wildlife surveys in Australia, surveying major wetland sites in Eastern Australia and the Murray-Darling Basin, providing invaluable information on the ecosystem health of wetlands and rivers. 2025 will be the 43rd year the survey has run.

Further information can be found on the low-level aerial survey of waterbirds can be found at:

<https://www.unsw.edu.au/research/ecosystem/our-research/rivers-and-wetlands/eastern-australian-waterbird-survey>

If you would like further information or have any concerns, please contact us at: ecosystemsurvey@gmail.com

Environmental news – Frog excitement at Pike Floodplain

Spring frog call surveys are off to a good start at Pike Floodplain, with all the species known to occur there recorded within the first week.

Frogs have been calling in response to environmental watering that is currently being undertaken at Pike Floodplain, inundating wetlands, temporary creeks and areas of floodplain habitat.

Six species of frog have been recorded across the site:

- Beeping froglet (*Crinia parinsignifera*)
- Easter banjo frog (*Limnodynastes dumerilii*)
- Barking marsh frog (*Limnodynastes fletcheri*)
- Spotted marsh frog (*Limnodynastes tasmaniensis*)
- Emerald-spotted tree frog (*Pengilleyia peronii*)
- the vulnerable Southern bell frog (*Ranoidea raniformis*).



Photos: 1. Spotted marsh frog. 2. Southern bell frog. 3. Inundated stand of lignum. 4. Emerald-spotted tree frog. Photo credit: Sam Walters, DEW.

Further information

- [Algal bloom information](#)
- [2022-23 River Murray Flood event](#)
- [Government of South Australia - State Disaster Recovery](#)
- [SA Water quality alerts - SA Health](#)
- [Real-time SA water data](#)
- [Current SA daily water levels](#)
- [Daily flow and water level information at key SA Water sites on the River Murray](#)
- [SA daily salinity information](#)
- [SA Marine safety](#)
- [Real time information - whole of River Murray system](#)
- [Whole River Murray System weekly reports](#)
- [Flows in the River Murray System including water for the environment](#)
- [Water for the environment actions in the Murray-Darling basin catchments](#)
- [NSW algal alerts](#)
- [Weir pool manipulation](#)

Bureau of Meteorology

- [SA rainfall and river conditions](#)
- [Victorian rainfall and river conditions](#)
- [NSW rainfall and river conditions](#)
- [Climate outlooks](#)
- [Climate drivers](#)

ID	RM-Flow-Report_2025_11_14
Classification	Public I2 A2
Issued	14 November 2025
Authority	DEW
Master Document Location	R:\Water Group\RMO\WRO\04 Communications\Flow Advices\2025-26
Managed and Maintained by	Water Infrastructure and Operations Branch
Author	Water Infrastructure and Operations Branch
Reviewer	Director, Water Infrastructure and Operations