

# River Murray Flow Report




## Report #46/2021

Issued 10:00 am 26 November 2021

**This supersedes the previous flow report issued by the Department for Environment and Water (DEW) on 19 November 2021. The next flow report will be provided on Friday 3 December 2021.**

In this report, for ease of representation, large volumes of water are expressed in gigalitres (GL), while smaller volumes are expressed in megalitres (ML). One GL is equal to 1 000 ML.

## FLOW OUTLOOK



The flow at the South Australian border is approximately 27.7 GL/day and will decrease to around 24 GL/day over the coming week. It comprises:

- full November Entitlement Flow (6 GL/day);
- plus water for the environment (see below *Environmental News*);
- interstate trade adjustments;
- Additional Dilution Flow (ADF); and
- Unregulated flow.

The flow over Lock 1 is approximately 33 GL/day and will decrease to around 29 GL/day over the coming week.

Over the coming weeks the flow to South Australia will be largely determined by rainfall and streamflow responses from upstream. With storages such as Lake Victoria, Hume and Menindee Lakes being close to capacity, there is limited ability to capture large increases in flow. If water cannot be captured in storages upstream this can increase the volume of unregulated flow at the South Australia border.

It is important to note that flow forecasts in this advice are based on the information available at the time of preparation. Advice may change as new gauging information becomes available or due to rainfall events or changed operations upstream.

## NEW PENALTIES FOR UNAUTHORISED OR UNLAWFUL WATER USE

All South Australian River Murray water users are reminded that they must remain within the available allocation on their water account at all times.

New penalty rates have been declared for taking water in excess of available allocation (unauthorised use) or without authorisation (unlawful use). These penalty rates will apply to any unauthorised or unlawful water use in the current quarter, being Quarter 2 of the 2021-22 water use year (between 1 October 2021 and 31 December 2021).

Accounting period	Up to and including 500,000kL overuse	More than 500,000kL overuse	Unlawful taking or use of water
1 Oct 2021 to 31 Dec 2021	\$0.96/kL	\$1.28/kL	\$1.28/kL

For further information please visit the following website <https://www.environment.sa.gov.au/topics/water/water-markets-and-trade/fees-and-charges>

## ENVIRONMENTAL NEWS

Unregulated flow from spring rainfall in upstream catchments continues to reach South Australia. South Australia is also receiving water for the environment from South Australia's environmental water allocation and return flows from upstream watering actions including the 2021 Murray Wetland Flow. More information on this event can be found [here](#).

The current flows from the River Murray and upstream tributaries, through to the Coorong, will provide a range of benefits for the environment in SA, including:

- providing 'flowing water habitat' to benefit native fish, animals and plants in the River Murray channel that have adapted to a riverine environment, including supporting conditions that favour spawning and recruitment of golden perch and Murray cod. Monitoring has detected golden perch eggs at various sites throughout the Lower Murray in recent weeks;
- providing for barrage releases to the Coorong to support a productive, food-rich environment for fish and birds and promote suitable conditions for estuarine fish to spawn;
- providing habitat for birds, frogs and threatened small-bodied native fish species in the Lower Lakes;
- maintaining good connections from the Coorong to the upstream areas of the River Murray, and its tributaries, to enable fish movement and migration;
- maintaining healthy water quality, salinity and water levels in the River Murray Channel and the Lower Lakes and Coorong;
- removing excess salt from the River Murray; and
- delivering a range of outcomes to wetlands in the Riverland via arrangements with Nature Foundation Limited, Renmark Irrigation Trust, Australian Landscape Trust, Accolade Wines Ltd and the Murraylands and Riverland Landscape Board.



Figure 1: A fyke net being used at the Morella Creek fishway in the South East to monitor fish moving between the South East Drainage network and the Coorong (Qifeng Ye, SARDI)

## MURRAY MOUTH

Dredging operations at the Murray Mouth commenced on 9 January 2015 to maintain connectivity (exchange of water) between the Coorong and the Southern Ocean. At 23 November 2021, a total of approximately 7 844 975 cubic metres of sand had been removed by dredging operations.

Both dredges are currently operating between the Goolwa and Tauwitchere channels 24 hours a day, seven days a week.

Barrage releases combined with dredging have helped to maintain flow connectivity of the River Murray Channel to the Murray Mouth and have assisted in exporting salt from the river system.

There are a number of shallow zones in and adjacent to the Murray Mouth. Mariners should use caution when traversing the mouth area, follow all directions, reduce speed and avoid travelling at low tide. Mariners equipped with echo sounders should check depths regularly. Navigation through the Murray Mouth is only permitted during daylight hours. Exclusion Zones established around the dredging operations are in place to ensure public safety. Refer to Notice to Mariners No 42 of 2016 [Notice 42](#).

There is a partial park closure in place for the northern tip of the Coorong National Park. For more information visit [Coorong partial park closure notice](#).

## BARRAGE OPERATIONS AND WATER LEVELS IN THE LOWER LAKES

The water level in Lake Alexandrina is approximately 0.84 m AHD and Lake Albert is approximately 0.84 m AHD.

As of Tuesday 23 November 2021, the weekly releases were approximately 227 GL. Gate openings at the barrages during the week can be seen in Table 1.

Table 1: Number of barrage gates open each day for the week ending Tuesday 23 November 2021

Barrage (total number of gates)	16 Nov 2021	17 Nov 2021	18 Nov 2021	19 Nov 2021	20 Nov 2021	22 Nov 2021	23 Nov 2021	Objective of releases
<b>Goolwa (120)</b>	5	5	5	5	5	5	5	Maintain connectivity between the River Murray channel through to the Murray Mouth to support fish migration, provide some scouring of the Goolwa Channel and Murray Mouth.
<b>Mundoo (25)</b>	3*	3*	3*	3*	3*	3*	3*	Provide some localised freshening conditions in the Mundoo channel and support fish passage.
<b>Boundary Creek (5)</b>	1	1	1	1	1	1	1	Provide attractant flow adjacent the fish way to support fish passage.
<b>Ewe Island (110)</b>	12*	12*	12*	12*	12*	12*	12*	Releases will help push fresher water down the Coorong to assist lowering salinity levels and provide habitat diversity.
<b>Tauwitchere (319)</b>	55	55	55	55	55	55	55	
<b>Fishways</b>	Fishways at all barrages and at Hunters Creek (11 in total) were open during the entire week							Provide for fish passage between the Coorong and Lower Lakes.

\*Automated gate utilised to maximise delivery to Coorong and avoid reverse flows.

During adverse weather conditions, SA Water will operate the barrages to minimise the risk of seawater entering Lake Alexandrina, therefore minimising any negative salinity impacts from reverse flow events.

Water levels and barrage operations are monitored closely by the South Australian Government, Murray-Darling Basin Authority and Commonwealth Environmental Water Office.

## BARRAGE RELEASES ARE NOW AVAILABLE ONLINE

River Murray water users and the general public can now access daily data on volumes of water released through the barrages in South Australia – all at the click of a mouse button.

The data, available via the Water Data SA online platform, will provide even more transparency in the role that the barrages play in river management.

At any time of day, the public will be able to see the total daily volume of water that has been released from the barrages to contribute to improved ecological outcomes throughout the system and more locally in the Coorong, Lower Lakes and Murray Mouth region.

Operation of the barrages is carefully managed to balance a number of objectives, including maintaining water quality and levels in the Lower Lakes, keeping continuous flow through the fishways, enhancing mouth openness and delivering water to where it's needed in the Murray estuary and Coorong.

In the coming months the data provided will be expanded to include the daily total at each barrage (Goolwa, Mundoo, Boundary Creek, Ewe Island and Tauwither), the number of gates open at each barrage and when changes have been made to gate configurations.

To view the new dataset go to: <https://water.data.sa.gov.au/> and select either *location/data set/chart/export* and search for the location 'A4261002 – River Murray Calculated Barrage Flow'.




Figure 2: An example of barrage releases data that is now available on Water Data SA

## RIVER VESSEL WASTE DISPOSAL STATIONS

### Lock 3

The Lock 3 River Vessel Waste Disposal Station is currently out of commission due to an infrastructure failure. Investigations are underway to replace the station. In the interim river vessel users can contact Riverland Tank and Drain directly on 0412 839 392 for emptying of black and grey water in the Lock 3 area. Alternatively they can utilise the nearest alternative waste facility located at Waikerie. Normal boat waste (domestic or galley waste) can still be deposited at the Lock 3 facility at the present time.

## NAVIGATION ISSUES

Sandbars in the vicinity of the Murray Mouth may cause navigation hazards. Mariners are advised to navigate with caution when operating in the area. Sandbars are also present along sections of the River Murray downstream of Locks 7 and 8 and in South Australia. All Mariners should be aware of the risk of submerged navigation hazards and should regularly check river depth.

## ENVIRONMENTAL WATER OPERATIONS

### Chowilla Floodplain and Weir and Lock 6

A low to mid-level operation of the Chowilla environmental regulator commenced in July 2021. The operation raised water levels in Chowilla Creek and through the Anabranche to a maximum height of 19.6 m AHD. The water level is now being lowered back to normal pool level (NPL).

The water level in Weir and Lock 6 was also raised in conjunction with the Chowilla Regulator and reached a maximum height of 19.68 m AHD. The water level is now back to NPL.

### Pike Floodplain and Weir and Lock 5

Operations on the Pike Floodplain commenced 26 July 2021 and the operation reached its planned maximum level on 30 September 2021 (15.8 m AHD). The water level is now being lowered back to NPL.

The Lock 5 weir pool was temporarily raised by 50 cm to 16.8 m AHD in conjunction with the Pike floodplain watering to assist water flow through the floodplain. The water levels are now being lowered back to NPL.

### Katarapko Floodplain and Weir and Lock 4

Operations on the Katarapko Floodplain also commenced 26 July 2021 and reached the maximum planned height of 13.2 m AHD on 15 September 2021, delivering water across about 800 hectares of the floodplain. Drawdown of water levels within the floodplain began and have now equalised with higher water levels in the main river channel. As the river level recedes, so will the water levels on the floodplain.

The Lock 4 weir pool level was raised for the duration of the event to 13.50 m AHD to assist with water flow into the Katarapko Creek system and is now back at NPL.

### National Park access

There are some short term access restrictions and closures of some roads, trails and campsites due to the environmental watering at Katarapko and Chowilla floodplains. On-site signage provides guidance about safe access. More information can be found at <https://www.parks.sa.gov.au/> or by contacting the Berri Regional Office on 8595 2111

## RIVER MURRAY WATER LEVELS

Below is a table of River Murray water levels at a number of locations from Lock 10 to Murray Bridge.

### River Murray Water Levels

Location	River km	Normal Pool Level (m AHD)	Current Level 24/11/2021 (m AHD)	2016 High Water Level (m AHD)
Lock 10	825.0	30.80	30.82	32.72
Lock 9 Kulnine	764.8	27.40	27.47	28.85
Lock 8 Wangumma	725.7	24.60	24.66	26.85
Lock 7 Rufus River	696.6	22.10	23.98	24.97
Lock 6 Murtho	619.8	19.25	19.27	20.19
Renmark	567.4	-	16.60	17.44
Lock 5	562.4	16.30	16.56	17.05
Lyrup	537.8	-	13.61	15.80
Berri	525.9	-	13.42	15.21
Lock 4	516.2	13.20	13.26	14.73
Loxton	489.9	-	11.24	13.54
Cobdogla	446.9	-	-	11.59
Lock 3	431.4	9.80	9.81	10.98
Overland Corner	425.9	-	7.63	10.41
Waikerie	383.6	-	6.72	9.20
Lock 2	362.1	6.10	6.13	8.32
Cadell	332.6	-	4.46	7.01
Morgan	321.7	-	4.00	6.38
Lock 1 Blanchetown	274.2	3.20	3.26	4.46
Swan Reach	245.0	0.75	1.37	3.11
Mannum PS	149.8	0.75	0.96	1.33
Murray Bridge	115.3	0.75	0.85	1.04

Note that the above water levels may be affected by local wind conditions

## FURTHER INFORMATION

The Water Data SA website is South Australia's comprehensive water information portal. For real-time data (like salinity, water levels) go to the following page: [Water Data SA](#).

Up-to-date River Murray salinity, flow and water level information can also be accessed at the SA Water and Murray-Darling Basin Authority websites:

- [Water allocation and carryover announcements](#)
- [River Murray real-time water data](#)
- [SA Water River Murray info - levels, flows etc.](#)
- [Murray-Darling Basin real-time water data](#)

The latest news, information and announcements about the River Murray and Basin Plan are available at [River Murray Update](#).

The Department for Environment and Water has published a series of inundation maps for the River Murray. They are available at [River Murray Inundation Maps](#).

Information on the management of acid drainage water in the Lower River Murray can be accessed at: [Managing Acid Sulfate Soils Research Project](#)

Details of river height and rainfall information in the River Murray within Victoria and New South Wales are available at the Bureau of Meteorology website:

- [Victoria rainfall and river conditions](#)
- [NSW rainfall and river conditions](#)

Information provided by the Commonwealth Environmental Water Office can be accessed at [CEWH Environmental Watering](#).

Information on The Living Murray can be accessed at [MDBA TLM](#).

Chowilla Floodplain Icon Site management [Chowilla-floodplain](#).

[Katarapko Floodplain](#) site management

[Pike Floodplain](#) site management

Department for Environment and Water [Home page](#).

Information provided by the Department of Planning, Transport and Infrastructure on boat licences, registering motor boats, owning and operating water craft, and boat and marine safety can be accessed at [Boating and marine](#).

ID	RM-Flow-Report-20211126
Classification	Public I2 A2
Issued	26 November 2021
Authority	DEW
Master Document Location	R:\Water Group\RMO\WRO\04 Communications\Flow Advices\2020-21
Managed and Maintained by	Water Infrastructure and Operations Branch
Author	Water Infrastructure and Operations Branch
Reviewer	Director, Water Infrastructure and Operations