Southern Basins Prescribed Wells Area Uley South

2018 Groundwater level and salinity status report



Department for Environment and Water

2018 Status summary Southern Basins PWA Uley South



The Uley South lens of the Southern Basins Prescribed Wells Area (PWA) has been assigned a *yellow* status for 2018 because minor adverse trends have been observed over the past five years.

The status is based on five-year trends: over the period 2014–18, 89% of wells show declining groundwater levels.

The status is based on five-year trends. To view the *Southern Basins PWA groundwater level and salinity status report 2011*, which includes long-term trends in rainfall, groundwater levels and salinity, please visit the Water Resource Assessments page on WaterConnect. To download the full record of groundwater level and salinity data for the Southern Basins PWA, please visit the *Groundwater Data* page on WaterConnect.

This status report does not seek to evaluate the sustainable limits of the resource, nor does it make any recommendations on management or monitoring of the resource. These actions are important, but occur through separate processes such as prescription and water allocation planning.

Rainfall

See Figures 1 and 2

Rainfall station	Westmere Bureau of Meteorology (BoM) rainfall station, number 18137, is located approximately 12 km south east of the Uley South lens.
Annual total ¹	470 mm
	42 mm (8%) less than the five-year average of 512 mm
	100 mm (18%) less than the long-term (1900-2018) average of 570 mm

Groundwater extraction

See Figure 3

Allocated volume ^{1,2}	7266 ML
Licensed groundwater extractions ^{1,3}	4882 ML
Extraction volume comparison	2% less than the previous year 4% less than the five-year average

¹ For the water-use year 1 July 2017 to 30 June 2018

² Allocated volume does not include rollover, carry over or recharge allocations

³ Total licensed extractions are subject to change as extraction data have not yet been verified in full – see More information

Groundwater level

See Figure 4

Five-year trend: 2014–18	34 out of 38 wells (89%) show declining trends, at rates of 0.02–0.17 m/y (median of 0.06 m/y); 1 of these show its lowest level on record
	4 wells (11%) show rising trends, at a rate of 0.01 m/y

Groundwater salinity

See Figures 5 and 6

2018 salinity	450–2069 mg/L (19 wells; median of 524 mg/L)
Five-year trend: 2014–18	All 16 wells (100%) are stable

Regional setting



The Southern Basins PWA is located within the Eyre Peninsula Natural Resources Management Region, at the southern-most part of the Eyre Peninsula between the townships of Port Lincoln and Coffin Bay. The groundwater resources are prescribed under South Australia's *Natural Resources Management Act 2004*, and a water allocation plan provides for their sustainable use. The Uley South lens is situated in the south-west of the Southern Basins PWA.

Within the Southern Basins PWA, there are two main water-bearing sedimentary sequences that overlie basement rocks: the Quaternary limestone aquifer and the underlying Tertiary sands aquifer. The Quaternary limestone aquifer, which is the focus of this report, comprises a generally thin veneer of aeolian sediments of the Bridgewater Formation. The Bridgewater Formation sediments are continuous across the PWA, however aquifers occur in discrete lenses such as the Uley South lens, separated by areas where the sediments are thin or dry. The main source of recharge to the Quaternary limestone aquifer is the direct infiltration of local rainfall, while the direction of groundwater flow is predominantly toward the nearest coastline.

Groundwater levels and salinities in the Southern Basins PWA are highly dependent on recharge from rainfall and any trends in groundwater level or salinity are primarily climate driven: below-average rainfall results in a reduction in recharge to the aquifers. Below-average summer rainfall can also result in increasing extractions, and both elements can cause the groundwater levels to decline and may cause salinities to increase. Conversely, above-average rainfall may result in increases in recharge, decreases in extractions, which may cause groundwater levels to rise and salinities to stabilise or decrease. Historical rainfall data indicate that trends of above or below-average rainfall can last for up to 40 years, and that high-intensity rainfall can result in greater and more-rapid water level responses (i.e. recharge).




Figure 1. Spatial distribution of (1) long-term and (2) five-year average annual rainfall, and (3) annual rainfall⁴

⁴ Data source: SILO Patched Point Dataset, available https://silo.longpaddock.qld.qov.au/ – see More information




Figure 2. Annual and monthly rainfall for the past five water-use years recorded at Westmere (BoM Station 18137)⁵




Figure 3. Licensed groundwater extraction volumes⁶ for the past five water-use years

⁵ Data source: SILO Patched Point Dataset, available https://silo.longpaddock.qld.gov.au/ – see More information

⁶ Total licensed extractions are subject to change as extraction data have not yet been verified in full – see More information




Figure 4. Five-year trends (2014–18) in groundwater levels: Uley South lens




Figure 5. 2018 groundwater salinities: Uley South lens




Figure 6. Five-year trends (2014–18) in groundwater salinities: Uley South lens

More information

To determine the status of the Uley South lens for 2018, the trends in groundwater levels and salinities over the past five years (2014 to 2018, inclusive) were analysed, in contrast to the year-to-year assessments that have been used in *Groundwater level and salinity status reports* published prior to 2015. Please visit the Frequently Asked Questions on the *Water Resource Assessments* page on WaterConnect for more detail on the current method of evaluating the status of groundwater resources.

To view descriptions for all status symbols, please visit the Water Resource Assessments page on WaterConnect.

For additional information related to monitoring wells nomenclature, please refer to the *Well Details* page on WaterConnect.

The licensed groundwater extraction for the 2017–18 water-use year is based on the best data available as of February 2019 and could be subject to change, as some extraction volumes may be in the process of being verified.

For information completeness and consistency across all the groundwater level and salinity status reports, the legend on each map herein shows the full range of water level and salinity status that could possibly be reported. However, the measured data that appear on each map may not span this full range.

Rainfall data used in this report are sourced from the SILO interpolated point and gridded datasets, which are calculated from BoM daily and monthly rainfall measurements and are available online at https://legacy.longpaddock.qld.gov.au/silo/.

To view the Southern Basins PWA groundwater level and salinity status report 2011, which includes background information on hydrogeology, rainfall and relevant groundwater-dependent ecosystems, please visit WaterConnect. To view all past published Groundwater level and salinity status reports, please visit the Water Resource Assessments page on WaterConnect.

To download groundwater level and salinity data from monitoring wells within the Southern Basins PWA, please visit the *Groundwater Data* page under the Data Systems tab on <u>WaterConnect</u>.

For further details about the Southern Basins PWA, please see the *Water Allocation Plan for the Southern Basins and Musgrave Prescribed Wells Areas* on the Natural Resources Eyre Peninsula <u>website.</u>

Units of Measurement

mm millimetre

ML megalitre

m/y metres per year

mg/L milligrams per litre

mg/L/y milligrams per litre per year

mm/y millimetres per year

Published by the Department for Environment and Water. Government of South Australia 16 July 2019

Head Office 81-95 Waymouth St ADELAIDE SA 5000

Telephone +61 (8) 8463 6946 Facsimile +61 (8) 8463 6999

ABN 36702093234 ISBN 978-1-925805-94-9

Report prepared by:
Department for Environment and Water
Water Science and Monitoring Branch
Strategy, Science and Corporate Services Directorate

www.environment.sa.gov.au

Disclaimer

The Department for Environment and Water and its employees do not warrant or make any representation regarding the use, or results of the use, of the information contained herein as regards to its correctness, accuracy, reliability, currency or otherwise. The Department for Environment and Water and its employees expressly disclaims all liability or responsibility to any person using the information or advice. Information contained in this document is correct at the time of writing.



With the exception of the Piping Shrike emblem, other material or devices protected by Aboriginal rights or a trademark, and subject to review by the Government of South Australia at all times, the content of this document is licensed under the Creative Commons Attribution 4.0 Licence. All other rights are reserved.

Preferred way to cite this publication

DEW 2019. Southern Basins PWA Uley South 2018 groundwater level and salinity status report, Government of South Australia, Department for Environment and Water, Adelaide.

Download this document at www.waterconnect.sa.gov.au

© Crown in right of the State of South Australia | 2019



Department for Environment and Water